FORMERLY BIBLIOGRAPHY OF INDIAN FISHERIES

INDIAN FISHERIES ABSTRACTS

CENTRAL FOOD TECHNOLOGICAL RESEARCH INSTITUTE
REGIONAL CENTRE
MANGALORE
11/11/86

Volume 20 Nos. 3 & 4

July-December 1981

CENTRAL INLAND FISHERIES RESEARCH INSTITUTE
BARRACKPORE, WEST BENGAL

INDIAN FISHERIES ABSTRACTS

(Formerly Bibliography of Indian Fisheries)

Volume : 20, No. 3 & 4 July - December, 1981

Compiled & Abstracted by : 1) B.N. Saigal
2) G.K. Vinci (Mrs.)
3) V.V. Sugunan
4) V.K. Unnithan

Bibliographic details & Indexing by Anjali De

Typing : R.C.P. Sinha &
Sefali Biswas

Published by : Shri D.D. Halder, Officer-in-Charge,
Library & Documentation Section on behalf of
Director, CIFRI.

A service from

The Information Section
Central Inland Fisheries Research Institute
Barrackpore, Pin : 743 101
India.

INDIAN FISHERIES ABSTRACTS

(Indian Fish. Abstr.)

CONTENTS

I.	Entries	...	1-52
II.	Author Index	...	A-1 to A-12
III.	Subject Index	...	S-1 to S-4
IV.	Taxonomic Index	...	T-1 to T-5
V.	Serial Index	...	SI-1 to SI-4

193. Anon (1979)
(Jawahar Lal Nehru University, New Delhi-110 067)
UNESCO programme on Man and the Biosphere : Ecological study of Loktak lake (Imphal) : Technical Report February 1976- February 1979. School of Environmental sciences.

194. Ansari, Z.A., A.H. Parulekar & S.G.P. Matondkar (1981)
(National Institute of Oceanography, Dona Paula, Goa 403 004)
Seasonal changes in meat weight and bio-chemical composition in the black clam Villorita cyprinoides (Gray).
Indian J.Mar Sci. 10(2): 128-131
Seasonal changes in meat weight and biochemical composition are associated with reproduction, storage and utilization of reserves. October to January is the most suitable period for harvesting these clams.

24 ref.

195. Appukuthan, K.K. (1977)
(Vizhinjam Research Centre of CMFRI, Vizhinjam)
On the occurrence of the green mussel Perna viridis (Linnaeus) in Andaman Island.
Indian J. Fish. 24(1-2): 244-248

13 ref.

196. Appukuthan, K.K. (1978)
(Central Marine Fisheries Research Institute Centre, Vizhinjam)
Studies on the developmental stages of hammer head shark Sphyrna (Eusphyrna) blochii from the Gulf of Mannar.
Indian J. Fish 25(1-2):41-51.

16 ref.

197. Appukuttan, K.K, P.N. Radhakrishnan Nair & K.K. Kunhikoya (1977)
(Central Marine Fisheries Research Institute, Cochin)
Studies on the fishery and growth rate of oceanic Skipjack Katsuwonus pelamis (Linnaeus) at Minicoy island from 1966 to 1969.
Indian J.Fish. 24(1&2):33-47.

The sizes in the commercial catches ranges between 350 and 695 mm. Employing the probability plot method 4 year classes have been recognised, the fish attains 402.2, 494.0, 562.6 and 620.5 mm respectively when it is 1,2,3 and 4-year old. By length frequency study they are 410, 500, 570 and 630 mm.

25 ref.

198. Araujo, Alberto, Joe D Souza & A.Karande (1981)
1. (Goa College of Pharmacy, Pangaji, Goa 403 001)
2. (Centre of Post-graduate Institute & Research, University of Bombay) Panaj, Goa 403 001)
3.(Naval chemical & Metallurgical Laboratory, Tigergate, Bombay 400 001).
Studies on fungi & yeasts from the West coast of India.
Indian J.mar. Sci. 10(4): 341-345

21 ref.

199. Badonia, Rajendra (1981)
(Central Institute of Fisheries Education, Bombay)
Cooked and frozen lobster.
Seafd export J., 13(7):27-28.

200. Badonia, Rajendra & K. Devadasan (1980)
1.CIFE, Kokori camp, Versova, Bombay-400 061
2. CIFT, Cochin-682 029
Frozen storage characteristics of ribbon fish
Fish Technol., 17(2):125-126

2 ref.

201. Bahuguna, S.N. & H.R. Singh (1981)
Garhwal University, Srinagar
Garhwal, Uttar Pradesh 246 174
Food and feeding habits of a hill stream fish Gytothorax pectinopterum (Mc Clelland)
Indian J.Amin Sci, 51(10):964-967

18 ref.

202. Bakthavalhsalam, R & Y.Srinivasa Reddy (1981)
1. Dept. of Zoology, Annamalai University, 608 002, Tamil Nadu.
2. Dept. of Zoology, Mysore University, Manasa Gangotri, Mysore.
Survival growth of the fish Anabas testudineus (Bloch) exposed to Lindane.
Indian J. Enisron. Hlth., 23 (4): 270-274.

The exposed fishes were died. The cummulative mortalities were 67,80,87 and 100% respectively at 0.01, 0.021, 0.049 and 0.056 mg/l of lindane. The growth rate of fish was significantly reduced.

10 ref.

203. Balan, V. (1978)
(Central Marine Fisheries Research Institute, Cochin)
The sailfish fishery off Calicut during 1974-75 and 1975-76.
Indian J.Fish. 25(1-2):67-76

10 ref.

204. Banerjee, Shubhra & S.C.Joshi(1981)
(School of studies in zoology, Vikram University, Ujjain- 456 010)
Effect of adrenaline on standard oxygen consumption of the fish Tilapia mossambica (Peters)
Indian J. exp. biol., 19(10):982-983

This experiment suggests that the metabolic role of adrenaline in the fish contrasts sharphy with that in mamnrals.

10 ref.

205. Banerji, S.R., M.L. Singh & S.K. Thakur (1980)
1-3) Fisheries Research Institute, Government of Bihar, Mithapur Farm, Patna-800 001
4) Central Fisheries (ICAR) Mithapur Fish Farm, Patna- 800 001.
Khulnaasa - a special fishing device for minnows in the river Ganga at Patna (Bihar)
J.Bombay nat.Hist.Soc., 77(2):351-353

Khulnawa seems to be a fishing device worth trying in lakes, reservoirs and other rivers with favourable ecology.

5 ref.

206. Banerji, S.R. & Nirmal K. Thakur (1981)
1) Joint Director, Fisheries (Research) Govt. of Bihar, Patna-800 001
2) Central Inland Fisheries Research Centre, Patna.
Observations on the spawning behaviour of Anabas testudineus (Bloch)
Indian J.Anim. Sci., 51(6): 651-654.

4 ref.

207. Bapat, S.V. (1975)
(Central Marine Fisheries Research Institute, Sub-station, Bombay)
A review of the Bombay duck fishery resources of India during the last twenty years.
J.Indian Fish. Asso. 5(1-2):94-101

During the last decades declining trends in the total catch, the average size and the percentage of adults in the catch, have been observed which are indications of depletion. Some suggestions to avert depletion are made.

8 ref.

208. Baragi, Vijayakumar M. & P.S.B.R. James (1980)
(University of Agricultural Sciences, College of Fisheries, Mangalore)
Length-weight relationship & condition factor of the sciaenid fish Johnieops osseus (Day)
Indian J.mar. Sci, 9(1) :67-68.

Length-weight relationship of J.osseus indicated an allometric form of growth. Seasonal variations in the condition of fish could not be attributed to any particular factor.

8 ref.

209. Baragi, Vijaya Kumar M., & P.S.B.R. James (1980)
(University of Agricultural Sciences, College of Fisheries, Mangalore-575 002)
Reproductive biology of sciaemid fish, Johnieops osseus (Day) from the South Kanara Coast.
Indian J.mar.Sci, 9(1) :19-24.

J.osseus spawns throughout the year, releasing 3 batches of eggs in a year. Size at first maturity is 12 cm and fecundity about 46,000 eggs.

14 ref.

210. Barrackpore Central Inland Fisheries Research Institute (1981).
All India Co-ordinated research project on Ecology and Fisheries of Freshwater Reservoirs Final Report 1971-1981 (Mimeo)

This is the final report of the work done during the period 1971-1981 on ecology and fisheries of Bhavanisagar reservoir, Tamil Nadu.

211. Barrackpore Central Inland Fisheries Research Institute (1981)
Fourth Workshop-All India Coordinated Research Project on Brackishwater Fish Farming 24-25 October 1981 at Kakinada Centre of the Andhra Pradesh Agricultural University jointly organised by Central Inland Fisheries Research Institute and Andhra Pradesh Agricultural University (Mimeo)

212. Barrackpore Central Inland Fisheries Research Institute (1981)
Seminar on Fishery (Inland) as an economic programme for IRD (28-30 September, 1981) sponsored and financed by Training Division, Ministry of Rural Reconstruction, Govt. of India held at Central Inland Fisheries Research Institute, Barrackpore 743 101, West Bengal (Mimeo).

This contain eighteen papers on different aspects of inland fisheries.

213. Basak, P.K. & S.K.Konar (1978)
(Fisheries Laboratory, Dept. of Zoology Kalyani University, Kalyani-741 233, West Bengal)
A simple bioassay method for estimation of safe disposal rates of insecticides to protect fish: Dimethoate.
Indian J.Fish 25(1-2):141-155

25 ref.

214. Basak, P.K. & S.K.Konar (1980)
(Fisheries Laboratory Dept. of Zoology, Kalyani University, Kalyani, West Bengal)
Effects of sublethal levels of sevin on the behaviour survival, growth and reproduction of fish.
Proc. Nat. Acad. Sci. India, 50B(4): 218-222

One group of tilapia exposed to 0.64 ppm showed significant reduction in feeding rate. These levels of sevin did not reduce growth and fecundity of fish. Tilapia exposed to 0.32 ppm spawned. The taste buds of buccal epithelium in 20% of carps exposed to 1.422 ppm were regeverated. But Fish yield was not reduced.

17 ref.

215. Basavarajee, Y. & T.J. Varghese (1981)
University of agricultural Sciences College of Fisheries, Mangalore, 575 002
Embryonic and larval development of rohu-mrigal hybrid.
Proc. Indian Acad. Sci. Anim Sci 90 (4):417-426
10 ref.

216. Bhagat, M.J. & Dwivedi S.N. (1975)
1.(CIFRI, Barrackpore)
2. (Director, Central Institute of Fisheries Education, Versova, Bombay-400 061)
Sport fishery of Powai Lake-Bombay
J.Indian Fish.Asso. 5(1-2): 56-60B
Authors have emphasized the importance of recreational aspect of the lake, which was considered as 'Angler's paradise'. They have attempted to pin point the decline in the major carp fishery of the lake. Some conservation points have also been described to improve the fishery of the Powai lake on scientific lines.
17 ref.

217. Bhalla, S.N. & K.S.Raghav (1980)
1.(Dept. of Geology, University of Sulaimaniya, Iraq.
2.(Dept. of Geology, Aligarh, Muslium University, Aligarh-202 001)
Recent foraminifera from beach sands of Malabar coast.
Indian J. mar. Sci. 9(4):288-290
Their distribution pattern indicates that it is mainly controlled by ecology in which salinity is the chief factor.

218. Bhattacharya, S.S. & H.G Kewalramani (1973-74)
(Taraporevala Marine Biological Research, Bombay-400 002).
Salinity and temperature of some marine planktonic copepods.
J.Indian Fish.Asso. 3&4(1&2):46-58
Salinity and temperature tolerance and combined effects of temperature and salinity on survival were studied in the laboratory on three species of marine copepods.
14 ref.

219. Bhattacharyya, G.K. & Z.Soejoeti (1981)
(University of Wisconsin)
Asymptotic normality and efficiency of modified least squares estimators in some accelerated life test models.
Sankhya, 43, Series B, Pt 1, :18-39.
Expressions for, the asymptotic efficiency of the MSLE an obtained, and nc ical illustration are presented for the Weilull, exponential and gamma families.
19 ref.

220. Bhowmick, R.M. (1978)
(Central Inland Fisheries Research Sub-station, Cuttack).
Glassjar hatchery for Indian major carps and Chinese carps.
Indian J.Fish., 25(1-2):171-179
9 ref.

221. Pe lke James E, & John E. Randall (1981)
1. (The Academy of Natural Sciences Nineteenth and the Parkway, Philadelphia, Pennsylvania-19103)
Four new garden eels (Congridae, Heteroconginae) from the pacific and Indian Oceans.
Bulletion of Marine Science, 31 (2):366-382
The four currently recognized genera of heteroconginae eels are here tentatively reduced to two: Heteroconger Bleeker and Gorgasia Meek and Hildebrand. Three new species of Heteroconger and one new Gorgasia are named.
9 ref.

222. Bongale U.D. & S.G. Bharati (1980)
1.(Central Silk Board Srirampur, Mysore-8)
2.(Dept. of Botany Karnataka University, Darwar-580 003).
Freshwater algae of Davanagere and Raichur of Karnataka State, India.
J.Bombay nat. Hist. Soc., 77(1):6-11
11 ref.

223. Chakrabarti, N.M. (1981)
(Scientist, Kakdwip Research Centre of Central Inland Fisheries Research Institute, Kakdwip, West Bengal)
Fishery and culture possibilities of estuarine prawns in Sunderban, West Bengal.
Seafd. export J., 13(5) : 17-23.

224. Chakraborty, P.K. (1981)
(Central Institute of Fisheries Technology, Willingdon, Island, Cochin-682 029)
Dehydration of fish and its scope of commercial exploitation in India.
Seafd.export J., 13(6):9-19
17 ref.

225. Chandra, K.J. & K.Hanumantha Rao (1981)
(Zoology Department, Andhra University, Waltair-530 003)
On cephalobothrium larva (Cestoda : Lecanicephalidea) in the marine crab, Charybdis (charybdis),Cruciata of Waltair
Curr.Sci., 50(20):919-
7 ref.

226. Chari,S.T. & A.Sreenivasan (1980)
(Directorate of Fisheries, Tamil Nadu, Madras-600 006)
Protein concentrate from shark
Fish Technol.,17(2): 115-117
A simple method of leaching the minced muscle with water repeatedly followed by cooking, pressing, drying the cake and powdering has been described for the preparation of fish protein concentrate (FPC) from shark without the use of solvents.
11 ref.

227. Chatterjee, T.K. (1980)
Zoological Survey of India, Calcutta.
Record of Stigmatogobius hoevenii (Bleeker) from the gangetic delta, West Bengal with a key to the Indian species of Stigmatogobius (Pisces Gobiidae).
Bull.Zool.Surv.2(2-3):229-231.
3 ref.

228. Chatterjee, T.K. (1981)
(Zoological Survey of India, Calcutta)
On a record of the rare fish Oxuderces dentatus (Pisces : Gobiidae) from Jambu Island, West Bengal.
Bull. Zool.Surv. India, 3(3):275-276
2 ref.

229. Chatterji, Anil (1980)
(Section of Ichthyology and Fisheries, Department of Zoology, Aligarh Muslim University, Aligarh-202 001)
The relative condition factor and length-weight relationship of a freshwater carp, Labeo gonius Ham. (Cyprinidae, Teleostei).
J.Bombay nat.Hist.Soc., 77(3):435-443
18 ref.

230. Chaturvedi, L.D.,B.D. Joshi & B.B. Sharma (1979)
(P.G. Department of Zoology, Hindu College, Moradabad 244 001)
Torus longitudinali in three freshwater teleosts.
Proc. Indian Acad. Sci. 88B, pt.1, (3):223-227.
The torus longitudinalis is highly developed in L.rohita, prominent in H.fossilis and poorly developed in Channa punctatus. It shows some correlation with the development of optic lobes as observed in L.rohita
10 ref.

231. Chaturvedi, M.L. & R.A. Agarwal (1981)
(Department of Zoology, University of Gorakhpur, Gorakhpur- 273 001)
Post-Graduate, Dept. of Zoology, Bhagalpur University, Bhagalpur -812 007
Comparative study of storage pattern and site of synthesis of uric acid in the snails Viviparus bengalensis (Lamarck) & Pila globosa (Swainson) during active and dormant periods.
Indian J.exp.Biol., 19(2):130-134
22 ref.

232. Chauhan, R.S. & Sandeep K. Malhotra (1981)
(Parasitological Laboratory, Department of Zoology University of Garhwal, Pauri Campus, Pauri (Garhwal) -246 001)
Log-normal distribution of parasitization index and gastroparasitic index in the fish-cestode relationships of hill-stream fishes.
Curr.Sci.50(20):917-918.

The precise role of fluctuations in the extremes of different environmental factors on species abundance of infected hosts is discussed.

4 ref.

233. Chellam, A. (1978)
(Central Marine Fisheries Research Institute Centre, Tuticorin-1)
Growth of pearl oyster Pinctada fucata in the pearl culture farm at Veppalodai.
Indian J.Fish. 25(1-2):77-83.

10 ref.

234. Chellam, A. & K.Alagarswami (1978)
(Central Marine Fisheries Research Institute, Sub-station, Tuticoren-1)
Blooms of Trichodesmium thiebautii and their effect on experimental pearl culture at Veppalodai
Indian J.Fish. 25(1-2):237-240

7 ref.

235. Chennubhotla, V.S., K.N.Kaliaperumal & S.Kalimuthu (1978)
(Regional Centre of CMFRI, Mandapam Camp.)
Culture of Gracilaria edulis in the inshore waters of Gulf of Mannar (Mandapam)
Indian J.Fish. 25(1-2):228-229
The observation show that the submerged floating condition is also suitable for the culture of Gracilaria edulis.

3 ref.

236. Cheriyan, P.V. & C.J. Cherian (1980)
(Wood Preservation Centre (Marine) Cochin, Dept. of Marine Sciences, Cochin-682 016)
Salinity and Survival of Martesia striata (Linn) in Cochin harbour.
Fish Technol., 17(2):111-114
The present observation indicate that M.striata is euryhaline and the extent of tolerance to lower salinities depends on the degree of acclimeatisatopm.

17 ref.

237. Chhapgar, B.F. & S.R. Sane (1980)
1.(E-31 Cusrow Bang, Shahid Bhagat Singh Road, Bombay-400 039)
2. "Sachetan" L/4-5 Sitaram Building, Paltan Road, Bombay-400 001.

On the record of the black ruby Barb, Puntius Nigrofasciatus (Gunther) (Pisces:Cyprinidae) from India.
J.Bombay nat Hist.Soc., 77(3):526-527
1 ref.

238. Chhatbar Sudhir, K. (1973-74)
(Central Institute of Fisheries Education, Bombay-58)
Observations on the stability of vitamin-B-12 in fish during icing and processing operations.
J.Indian Fish.Asso. 3&4(1-2):131-135.
There is no significant loss of vitamin B-12 during icing, cooking and canning.
10 ref.

239. Chungath, Joy P. (1980) K.Gopakumar A. Vasanth Shenoy, R. Thankamma.
(Consultant Paediatrician xxx/144 A1, Cochin-682 016)
Nutritional evaluation of an indigenous low cost protein food.
Fish Technol. 17(2):95-97.
A study of supplementary feeding was conducted on children with a protein food (edible fish powder in the form of "chutney")for 35 days and the effect assessed periodically.
9 ref.

240. Cochin, Central Marine Fisheries Research Institute (1981)
Present status of small scale fisheries in India and a few neighbouring countries.
CMFRI, Bull. No. 30-B:89P.

241. Cochin, Central Marine Fisheries Research Institute (1981)
Proceedings of the Seminar on the roll of small-scale fisheries and coastal aquaculture in integrated rural development 6-9 December, 1978.
CMFRI Bulletin 30-A : 203 p.

242. Daniel, A.(1981)
(Marine Biological Station, Zoological Survey of India, 12, Leith Castle Street, Madras)
The thalassinid burrowing shrimp, Callianassa (Callichirus) maxima M. Edwards, 1870 (crustacea Decapoda: Callianassidae) as a poet in the salt factories in Voyaluv in chengleput district of Tamil Nadu and in Manginapudi in Krishna district of Andhra Pradesh.
Bull.Zool. Surv. India, 3(3):191-204.

Details of its taxonomy morphology and ecology of the adult and its larval stages are included. Suggestions for the effective control of this shrimp in the salt pan beds are also provided.

18 ref.

243. Dan, S.S. (1977)
(Waltair Research Centre of CMFR Institute, Visakhaptanam-3)
Intraovarian studies and fecundity in Nemipterus japonicus (Bloch)
Indian J. Fish. 24(1-2):48-55

14 ref.

244. Dan, S.S. (1972)
(Waltair Research Centre of CMFR Institute, Waltair)
Maturity spawning and fecundity of catfish Tachysurus tenuispinis (Day)
Indian J. Fish. 24 (1-2):96-106.

The fish breed once a year during May-September. The minimum size at maturity was 27.5 cm total length. Male:female ratio was 1:1.79. Parental care noticed in males.

23 ref.

245. Dan, S.S. & P.Mozumder (1978)
(Waltair Research Centre of CMFR Institute, Waltair)
Length weight relationship in catfish Tachysurus tenuispinis (Day)
Indian J.Fish. 25(1-2):23-28.

The relationship can be shown as log w = -4.7347 + 2.8860 Log L and the parabolic equation was $w = 0.00001842\ L^{2.8860}$.

12 ref.

246. Datta, A.K. & A.K. Karmakar (1980)
(Zoological survey of India, Calcutta)
Clupisoma bastari sp. Nov. (Pisces : Schilbeidae) from Bastar, Madhya Pradesh India.
Bull. Zool. Surv. India, 2(2&3):1-6

A new species of Schilbeid fish, Clupisoma bastari, from Indravati river is described. A key to the species of Clupisoma swainson is also included.

247. Datta, A.K. & A.K. Karmakar (1981)
(Zoological Survey of India, Calcutta)
On a new species of Puntius (Family Cyprinidae) from Bastar district, Madhya Pradesh.
Bull.Zool.Surv. India, 3(3):179-183

2 ref.

248. Datta Munshi, J.S., A.K.Laal & K.L. Shah (1980)
1. (Post-graduate, Dept. of Zoology, University of Bhagalpur (Bihar)
2 & 3.(CIFRI, Bhagalpur, Bihar)
Further record of Hyporhamphus limbatus (vol) from freshwater zone of river Ganga.
Proc. Nat. Acad. Sci. India 50 B,(4): P. 241

5 ref.

249. Datta, S.N. (1981)
(Central Inland Fisheries Research Station, Cuttack)
Fish/rice co- existence.
Seafd export J., 13(5):9-16

250. Dehadrai, P.V. (1976)
(Central Inland Fisheries Research Institute, Barrackpore)
Swamps of North Bihar.
J.Indian Fish.Ass. 6(1-2):13-21

251. Deshmukh, S.S. & V.B.Marathe (1980)
(Department of Zoology, Institute of Science, Nagpur)
Size related toxicity of copper & mercury to Lebistes reticulatus (Peter) Labeo rohita (Ham.) & Cyprinus carpio Linn.
Indian J.exp.Biol, 18(4):421-423

23 ref.

252. Deshpande, U.D. & R.Nagabhushanam (1981)
(Department of Zoology, Marathwada University, Aurangabad-431 004)
Toxicity of Sodium Pentachlorophenate (Na-PCP) to the marine Pulmonate, Onchidium verruculatum
Indian J.mar.Sci., 10(4): P 384.
19 ref.

253. Devadoss, P. (1978)
(Central Marine Fisheries Research Institute Centre, Calicut-5)
Maturation and breeding habit of Dasyatis (Amphotistius) imbricatus (Schneeder) at Porto Novo
Indian J.Fish., 25(1-2) : 29-34.
The females reach maturity at the size of 170-179 mm and males at 160-169 mm size.
11 ref.

254. Devadoss, P. (1978)
(CMFRI, Centre, Porto Novo)
On the food of rays Dasyatis uarvak (Forskel) D. alcokii (Annandale) and D.sephen (Forskal)
Indian J.Fish 25(1-2):9-13
4 ref.

255. Devadoss P. (1978)
(Central Marine Fisheries Research Institute Centre, Calicut)
A preliminary study on the batoid fishery of Cuddalore with a note on the biology.
Indian J.Fish 25(1-2) : 180-187.
13 ref.

256. Devadoss, P., P.K. Mahadevan Pillai, P.Natarajan & K. Muniyandi (1977)
(Central Marine Fisheries Research Institute, Centre at Porto Novo, Tamil Nadu)
Observations on some aspects of the biology and fishery of Psettodes erumei (Bloch) at Porto Novo.
Indian J.Fish., 24(1-2):62-68.
9 ref.

257. Devarajan, K. & K.G.Girijavallabhan, (1977)
(CMFR Sub-station, Madras-8)
On the occurrence of Lxa inermis leach in Indian waters with taxonomic notes on the species.
Indian J.Fish., 24(1-2):250-252
7 ref.

258. Dhage, K.P. & O.M.M.J.Habeeb Mohamed (1975)
(Department of Zoology, Sophia College, Bombay 26).
Study of the fishery Survey of greater Bombay.
J.Indian Fish.Asso., 5(1-2):102-110

The study reveals that there is an urgent need to increase the number of machanised crafts and also provide better facilities for landing, presevation and transport of fish. The study shows that the fishing folk has to be educated on the subject matters.

10 ref.

259. Dhage, K.P. & O.M.M.J. Mohamed (1977)
(Dept. of Zoology, Sophia College, Bombay-400026)
Study of amylase activity in mud skipper Periophthalmus koelreuteri (Pallas)
Indian J.Fish., 24(1-2):129-134.

The amylase activity of the alimentary canal was studied with reference to pH, temperature, and substrate concentration. The fish has no stomach and organised pancreas.

11 ref.

260. Dhargalkar, V.K., T.G.Jagdip & A.G.Untawale (1980)
(National Institute of Oceanography, Dona Paula, Goa 403 004)
Biochemical constitutents of Seaweeds along the Maharashtra coast.
Indian J. mar.Sci., 9(4): 297-299.

Protein varied from 10 to 33% Chlorophyceae and Rhodophyceae members were rich in protein and carbohydrate compared to phaeophyceae. Organic carbon showed maximum average value (33%) in Chlorophyceae.

15 ref.

261. Dhevendaran, K, & P.Lakshmanaperumalsamy (1981)
(Microbiology Lab. Dept. of Marine Sciences, University of Cochin, Cochin-682016)
"Bdellovibrio"-a parasitic bacterium.
Seafd. export J. 13(8): 9-14
8 ref.

262. Dhevendaran K. & P.Lakshmanaperumal Samy (1981)
(Department of Marine Science, University of Cochin, Cochin-682016)
Microbial application to technology.
Seafd export J., 13(7): 9-16.
13 ref.

263. Dhulkhed, M.H. (1977)
(Mangalore Research Centre of CMFR Institute, Mangalore)
Determination of mean length of oilsardine at different ages based on the annual size-frequency distribution.
Indian J.Fish. 24(1-2):195-198.
11 ref.

264. Dhulkhed, M.H. & S.Ramamurthy (1977)
(Mangalore Research Centre of CMFRI, Mangalore)
A note on a preliminary experiment on the culture of Sillago sihama (Forskal) at Mangalore.
Indian J.Fish. 24 (1-2): 229-231.
1 ref.

265. Dubey, N.K., Usha Dubey & P.K. Pandey (1981)
(Department of Zoology,
Worm cataract of Heterotheustes fossilis (Bloch)
Curr.Sci. 50(14) P. 651
4 ref.

266. Durairaj, S. & P.Pitchiah (1981)
(Fisheries Technological Station, Tuticorin, Tamil Nadu)
Certain studies on the use of high density polythene woven sacks as an improved packing for dried fish.
Seafd export J. 13(9):27-33
6 ref.

267. Gajbhiye, S.N.Jiyalal Ram & B.N. Desai (1981)
(National Institute of Oceanography ,Regional Centre, Versova, Bombay-400061)
Distribution of copepods from the polluted and unpolluted regions off Bombay.
Indian J.mar.Sci., 10(4) 346-349.
11 ref.

268. Gantayat, S.C. & B.K. Patnaik (1980)
(Deptt. of Zoology, Science College, Hinjilicut-761102)
Collagen content of skin of a freshwater teleost Ophiocephalus punctatus Bloch in relation to anatomical sites.
Indian J.exp.Biol., 18 (7):733-735

In both the sexes of the fish, the quantity of collagen per unit area (cm^2) was the highest in dorsal skin and least in ventral, the values of laterals remaining in between. Therefore it is suggested that the dorsal skin is highly thickened.
15 ref.

269. Gantayat, S.C. & B.K. Patnaik (1980)
1. Science College, Hinjilicut-761 102
2. Deptt. of Zoology, Berhampur University, Berhampur, 760 007.
In vitro effect of some chemicals on collagen characteristics of skin muscle of the freshwater murrel Ophicephalus punctatus.
Indian J.exp. Biol., 18(12):1460-1464.

270. George, M.K. (1978)
(Bombay Research Centre of Central Marine Fisheries Research Institute)
Regeneration of tail in the eel Muraenesox talaboides Bleeker.
Indian J.Fish. 25(1-2):273-276.
6 ref.

271. George, P.C. (1975)
(Joint Commissioner(Fisheries) Ministry of Agriculture and Irrigation Deptt. of Agriculture, New Delhi)
Some thoughts on maximum utilization of Coastal fishery resources of India.
J.Indian Fish.Asso. 5(1-2):61-66.
7 ref.

272. Ghosh Malay & Nitis Mukhopadhyay (1981)
(Iowa State University, Oklahoma State University)
Consistency and asymptotic efficiency of two stage and sequential estimation procedures.
Sankhya, 43 Series A, PF. 2. :220-227.

Concepts of "first and "second" order efficiencies in sequential point and interval estimation are introduced.

14 ref.

273. Ghosh, S.K. & A.N. Mohanty (1981)
(Central Inland Fisheries Research Institute, Cuttack, Orissa)
Observations on the effect of aeration on mineralization of organic nitrogen in fish pond soil.
Bamidgeh, 33 (2):50-56.
It is found out that the use of compressed air at the pond bottom gives faster conversion of metabolites, into organic nitrogen.

10 ref.

274. Ghosh, Subir (1981)
(Indian Statistical Institute, 204/1 Barrackpore Trunk Road, Calcutta-700035)
Robustness of three dimensional designs, I.
Sankhya, 43, Series B, Pt. 2, :222-227.

7 ref.

275. Gill, T.S. & J.C. Pant (1981)
(Dept. of Zoology, Kumaun University, Naini Tal 263 002)
Effects of sublethal concentrations of mercury in a teleost Puntius conchonius : biochemical & haematological responses.
Indian J. exp. Biol. 19(6): 571-573.

Juveniles and adults of P.conchonius were exposed to Hg in soft and hard waters. Juveniles were intolerent to high Hg concentrations and toxicity varied invarsely with water hardness. Erythropenia and a fall in haemoglobin occured following 1-3 weeks exposure but polycythemia was recorded after 6-8 weeks.

18 ref.

276. Girijavallabhan, K.G. & K. Devarajan (1978)
(Madras Research Centre of CMFR Institute, Madras-8)
On the occurrence of puerulus of sping lobster Panubirus polyphagus (Herbst) along the Madras coast.
Indian J.Fish. 25(1-2): 253-254.
4 ref.

277. Goel, H.R., O.P. Saxena & K.K.Tandon (1981)
(1&2. Zoology Research Laboratories M.M. College, Modinagar-201204)
(3. Dept. of Zoology, Panjab University, Chandigarh-160 014)
Occurrence of eurydendroid cells in the corpus and valvula cerebelli of Notopterus notopterus (Ham.)
Curr.Sci., 50(12) : 556-557
It is observed that the short dendrites of the granular neurons synapse with the adjacent cells and a few cells bordering the ganglionic layer synapse with the dendrites of the eurydendroid cells.
2 ref.

278. Goel, K.A., A.K.Awashi & S.K.Tyagi (1981)
(Zoology Department, D.A.V. College, Muzaffarnagar-251001)
Haematoenzymology of Heteropneuptes under chemicoazo stress of Bismark brown.
Curr.Sci., 50 (19): 875-876
Deals with the haemotological and seroenzymological changes in H.fossilis induced by chronic exposure of a basic azodye, the Bismark Brown (2,4'-diamino, 3-amino azobenzene; DAAB)
15 ref.

279. Goswami, A.K. (1977)
(Department of chemistry, K.R. College, Mathura)
Amino acid composition of eye lens of the fish. Labeo rohita at different stages of growth.
Indian J.Fish. 24(1-2):227-229.
6 ref.

280. Goswami, Bhabesh C. & Arun B. Barua (1981)
(1. Dept. of Chemistry, Gauhati University, Gauhati)
(2. Dept. of Biochemistry & Biophysics, Iowa State University Ames, Iowa-50011 U.S.A.)
Interconversion of vitamin A_1 & A_2 in freshwater fish.
Indian J.Biochem.Biophys 18(2):159-163.
In freshwater fish the interconversion of A_1 and A_2 does not take place.
17 ref.

281. Goswami, Umesh C. & Arun B. Barua (1981)
(Dept. of Zoology and Chemistry, Gauhati University, Gauhati-781014)
Intestinal conversion of lutein into 3-dehydroretinol in freshwater fish Heteropneustes fossilis & Channa straitus.
Indian J.Biochem.Biophys, 18(1) p. 88.
The conversion of lutein into 3-dehydroretinol (vitamin A_2) takes place in the intestines of H.fossilis and C.striatus the two dehydroretinol fishes, within 4-6 hrs after feeding lutein orally.

8 ref.

282. Gunale, V.R. & M.S.Balakrishnan (1981)
(Dept. of Botany, University Poona, Pune- 411 007)
Biomonitoring of eutrophication in the Pavana, Mula and Mulha rivers flowing through Poona.
Indian J.Environ.Hlth., 23(4):316-321
This paper presents an assessment, by the use of Nygaards Trophic State Indices, of the extent of eutrophication at selected sampling stations on the Pavana Mula and Mulha rivers flowing through Poona city.

17 ref.

283. Hafeezullah, M. (1980)
Two digenetic trematodes of a marine fish Kyphosus cinerascens (Forskal) from the gulf of Mannar with a note on the systematic positions of the Genera Enenterum Linton 1910 Cadenatella dollfus, 1946 and Jeancadenatia dollfus, 1946.
Bull.Zool.Surv.India, 2(2&3): 145-151.

284. Haffezullah, M. (1981)
(Zoological Survey of India, Calcutta)
Schistorchiid. trematodes of marine fishes of India, with considerations on the status of the genus Megacreadium Nagaty, 1956 and family Schistorchiidae Yamuguti 1942.
Bull.Zool.Surv.India, 3(3) : 167-177.

15 ref.

285. Hamsa, K.M.S.Ameer (1978)
(Marelapan Regional Centre of CMFRI, Madapam Camp)
Chemical composition of the swimming crab Portunus pelagicus Linnaeus.
Indian J.Fish 25(1-2):271-273.

4 ref.

286. Hamsa, Ameer K.M.S. (1978)
(Regional Centre of Central Marine Fisheries Research Institute, Mandapam)
On the meat content of portunus pelagicius with some observations on lunar periodicity in relation to abundance, weight and moulting.
Indian J.Fish 25(1-2):165-170
Male orab contain more meat than females.
7 ref.

287. Hamsa, Ameer, K.M.S. (1978)
(CMFRI, Regional Centre, Mandapam Camp)
Fishery of the swimming crab Portunus pelagicus Linnaeus from Palk Bay and gulf of Mannar (Mandapam)
Indian J.Fish. 25(1-2): 229-233.
11 ref.

288. Hamsa, Ameer, K.M.S., & P.Nammalwar(1977)
(Regional Centre of CMFRI, Mandapam Camp)
Some planktonic forminifera from the gulf of Manner.
Indian J.Fish., 24(1-2): 232-237
3 ref.

289. Hingorani, H.G.,.K.Madhusudhana Rao & R.Ramachandran(1973-74)
(Central Fisheries Extension Training Centre, Hyderabad)
An attempt to study pollution and fish mortality in Hussain sagar reservoir in Hyderabad.
J.Indian Fish. Asso. 3 & 4 (1-2)
Discussed the harmful effects of pollution and suggested some remedial measures.

290. Hussain, Syed Altaf & K.Hanumantha Rao (1980)
(Deptt. of Zoology, Andhra University, Waltair-530003
On the occurrence of Prosogonotrema carangi velasquez 1961 in the teleost Monacanthus monoceros (Day) of Waltair coast with a note on the family Prosogonotrematidae
Proc.Indian Acad.Sci 89(3):297-301
14 ref.

291. Iyer, T.S. Gopalakrishna & A.C. Joseph (1980)
(1. Bombay Research Centre of CIFT, 162 B.P.T. Godown 5a 55004 Dock/Colab'a, Bombay 400005) / sassoon
(2. Veraval Research Centre of CIFT, Bunder Road, Veraval-362265)
Isolation of Salmonella roan for the first time in India.
Fish Technol., 17(2) : P. 123.
2 ref.

292. Jacob, Sheila Susan & Nair N. Balakrishnan (1981)
(Department of Aquatic Biology and fisheries University of Kerala, Trivandrum-695007)
Rate of gastric digestion in the larvicidal fishes Aplocheilus lineatus (Cuv. & Val.) and Macropodus cupanus (Cuv & Val.)
Proc.Indian Acad.Sci. Anim.Sci.) 90(4): 407-415
46 ref.

293. Jadhav, M.L. & V.S. Lomte (1981)
(Department of Zoology, Marathwada University, Aurangabad-431004)
Neurosecretary activity of the freshwater bivalve, Lamellidens corricinus (Prasad)(Molhisca: Lamellibranchiate)
Proc. Indian natn.Sci.Acad.(B), 47(4): 496-500.

Two types of neurosecretary cells, I and II were observed on the dorsal surface of cerebral ganglia. The neurosecretory naterial got accumulated at low temp. while it depleted at high temperature. At higher salinities (0.25% and 0.35% of Nacl) this material in the cells decreased. Protoged starvation and desiccation for 72 hrs also significantly depleted this.
15 ref.

294. Jagtap, T.G. & A.G. Unitawale (1981)
(National Institute of Oceanography Dona Paula, Goa-403 004)
Ecology of seagrass bed of Halophila beccarii (Aschers) in Mandovi estuary, Goa.
Indian J. mar. Sci., 10(4):402-404
20 ref.

295. Jana, B.B. & R.N. Das (1980)
(Department of Zoology, University of Kalyani, Kalyani-741235)
Changes of chemical composition of water in two fish farming ponds with air-breathing teleosts.
Proc.Indian Acad.Sci (An.Sci.) 89(1): 1-8.

Changes of chemical composition of water due to growth kinetics of A.testudineus and stocking of broods of different species of air-breathing teleosts were studied.

10 ref.

296. Jayaram, K.C. & Mrinal, K.Das (1980)
(Zoological Survey of India, Calcutta)
Systematic position of Labeo devdevi Hora with a description of the species (Prices Cypriniformes)
Bull.Zool.Surv.India 2(2&3) : 201-206

A full description of Labeo devdevi Hora is given with illustrations of the juvenile and adult forms.

6 ref.

297. Jayasri, M., M.Parvateesam & P.N. Mathur (1981)
(Department of Zoology, Govt. College, Ajmer-305001)
Myxosoma mathurii N.SP. (Protozoa : Myxosporidia) parasitic on Puntius sarana (Ham.)
Curr.Sci., 50 16 :736-738

15 ref.

298. Jhingran, V.G. (1973-74)
Recent advance in Inland fish culture
J.Indian Fish Asso., 3&4(1-2):23-26.

299. John, U.Lazar & S.D. Bokil (1981)
(1. Dept. of Civil Engg. M.A. College of Engineering, Kothamangalam, Kerala.
(2. Deptt. of Civil Engg. Indian Institute of Technology, Kanpur- 208016)
Flocculating algal-bacterial system study of continuous phase.
Indian J.Environ Hlth., 23(1):16-26

The study shows the potential of this system in treating domestic wastes.

6 ref.

300. Joshi, A.G. & M.S. Rege (1980)
(Deptt. of Zoology, Institute of Science Bombay-400032)
Acute toxicity of some pesticides & a few inorganic salts to the mosquito fish Gambusia affinis (Baird & Girard)
Indian J.exp. Biol., 18(4):435-437
29 ref.

301. Joshi, B.D. & R.Dabral (1981)
(Department of Zoology, Kumaun, University campus, Almora-263601)
Some haematological changes in a freshwater catfish Heteropneustes fossilis, infected with the trypanosome, Trypanosoma magüri.
Proc.Indian Acad.Sci.,(Anim Sci.) 90(3):295-301

The presence of trypanosomes in the blood caused conspicuous changes in TEC, TLC, HB, MCH and DLC values, correlated with intensity of infection. In general anaemia accompanised with erythropenia, microcystosis, macrocytosis, basophilia or polychromasia, vacuolization of blood cells was noted. The TLC value showed interesting and contrasting results. 10 ref.

302. Joshi, C.B., K.L. Sehgal & Shyam Sunder (1978)
(Cold Water Fisheries Research Unit, Harwan, Srinagar, Kashmir)
Observations on the fishery resources of the hill streams of Jammu province with special reference to mahseer and other commercially important species.
Indian J.Fish. 25(1-2): 197-206
5 ref.

303. Joshi, S.N. & S.S.Khanna (1980)
(Department of Zoology, Government Post-Graduate College, Pithoragarh -262502)
Relative fecundity of Labeo gonius (Ham.) from Nanaksagar reservoir.
Proc. Indian Acad. Sci. (Anim Sci.) 89(5):493-503
20 ref.

304. Joy, K.P. & A.G.Sathyanesan (1981)
(Surgical Research Laboratory Institute of Medical Sciences, Varanasi)
(Depart of Zoology, Banaras Hindu University, Varanasi-221005)
Histological response of thyroid of the teleost Clarias batrachus (L) to Radio iodine (1) treatment.
Indian J. exp.biol. 19(1):29-31

305. Kalawar, A.G. (1975)
(Director of Fisheries, Maharashtra State, Bombay)
An appraisal of the marine fisheries resources of the Maharastra State.
J.Indian Fish. Asso.6(1-2):67-72.

4 ref.

306. Kaliyamurthy, M., G.Ramamohana Rao & A.V.Prabhakara Rao (1977)
(Central Inland Fisheries Research Institute, Madras-11)
Ecological considerations concerning the seed of cultivable fishes of the Pulicat Lake
Indian J.Fish. 24(1-2):223-227

7 ref.

307. Kamaldeep & H.S. Toor (1977)
(Department of Zoology, Punjab Agriculture University, Ludhiana)
Effect of temperature on the myomeres and fin rays of Cyprinus carpio Linn.
J.Zool.Soc.India 29(1-2):66-72.

This study was undertaken to know the range of variation in fin rays and myomeres in C.carpio hatched at different temperatures.

27 ref.

308. Karamchandani, S.J. (1980)
(1. CIFR Sub-station, Allahabad)
(2. CIFR Sub-centre, Jaunpur, U.P.)
Preliminary observations on the status of silver carp in relation to Catla in the culture fishery of Kulgarhi reservoir.
J.Bombay nat.Hist.Soc., 77(2):261-269

12 ref.

309. Kasinathan R., K.Govindan & B.N. Desai (1973-74)
(National Institute of Ocenography, Bombay-61)
'Distribution of benthic fauna in the gulf of Kutch.
J.Indian Fish.Asso., 3&4 (1&2): 68-79
Eleven macrofaunal and four meiofaunal groups were represented in the benthic fauna. There found a dominance of sipunculids in the meiofaunal group.
16 ref.

310. Khan, S.Ajmal & R.Natarajan (1981)
(Centre of Advanced study in Marine Biology, Annamalai University, Parangipettai-608502)
Distribution of hermit crabs in vellar estuary.
Indian J.mar.Sci., 10(4) : 353-356
9 ref.

311. Khatri, C.G. (1981)
(Gujarat University, Ahmedabad)
Study of F-tests under dependent model.
Sankhya, 43 Series A, PF.1 : 107-110
10 ref.

312. Khuda-Bukhsh, A.R., S.K.Gupta & S.Goswami (1980)
(Department of Zoology, Kalyani University, Kalyani-741235)
Karyotypic studies in Garra lamta and Mystus cavassius (Pisces)
Proc. Indian Acad.Sci.(Anim.Sci.) 89(6) : 557-562.
13 ref.

313. Konar, S.K. (1977)
(Fisheries Laboratory, Dept. of Zoology, Kalyani University, Kalyani, West Bengal)
Toxicity of nicotine to aquatic life.
Indian J.Fish. 24(1-2): 124-128
The insects were more tolerant than fishes and plankters. Sodium carbonate and lime increased nicotin toxicity. Nicotine detoxified in 8 days in alkaline and in 30 days in neutral waters.
10 ref.

314. Koundinya, P.K. & R. Ramamurthi (1981)
(Department of Zoology, S.V. University College, Tirupati (A.P.)
Tissue respiration in Sarotherodon mossambicus (Peters) exposed to sub-lethal concentration of sumithion and sevin.
Curr.Sci., 50(21) : 968-969
10 ref.

315. Krishnamoorthi, B. (1977)
(Waltair Research Centre of CMFR Institute, Waltair)
Maximum equilibrium yields of demersal fisheries based on exploratory trawling.
Indian J.Fish., 24 (1-2) : 76-82.
The most of the groups of fishes exploited in the 17°-40° zone along the Andhra-Orissa coast the maximum equilibrium yields are not far different from the average yields. Hence the stock can but stand in future only a limited increase in fishing pressure.
8 ref.

316. Krishnamoorthi, B. (1978)
(Waltair Research Centre of CMFRI, Waltair, 530 003)
A note on the catch trends of catfishes Tachysurus thalassinus and T.tenuispinis based on exploratory data for the period from 1966 to 1976.
Indian J.Fish., 25(1-2) : 268-270.
2 ref.

317. Krishnamurthy, K.N. & M.Kaliyamurthy (1978)
(Central Inland Fisheries Research Institute, Madras-11)
Studies on the age and growth of sand whiting Sillago sihama (Forskal) from Pulicat lake with observations on its biology and fishery.
Indian J.Fish., 25(1-2) : 84-97.
von Bertalanffy's growth equation for this species can be expressed as $406.82\left[1-e^{-0.2226(t-0.2745)}\right]$.
The length-weight relationship followed the cube law.
12 ref.

318. Kulkarni, C.V. (1980)
(B-4 Shardashram, Bhavani Shankar Road, Bombay-400 028)
Eggs and early development of tor mahseer fish
J.Bombay nat Hist. Soc., 77(1) : 70-75.

10 ref.

319. Kulkarni, G.K. R.Nagabhushanam & P.K. Joshi (1980)
(Dept. of Zoology, Marathwada University, Aurangabad-431004)
Blood glucose in marine penaeid prawn Parapenaeopsis hardwikii, circadian rhythmicity & influence of salinity
Indian J.mar.Sci. 9(2) :126-127.
Blood glucose in P.hardwickii showed circadian rhythm and acclimation to photo period and temperature could not abolish the rhythm. After a 7 day acclimation to different salinities, significant (P - 0.05) increase in blood glucose was observed in 30 and 28‰ which decreased greatly in 25‰ salinity. 15 ref.

320. Kulkarni, G.K., R.Nagabhushanam & P.K. Joshi (1981)
(Dept. of Zoology, Marathwada University, Aurangabad-431 004)
Neuroendocrine regulation of reproduction in the marine female prawn, Parapenaeopsis hardwickii (Micrs).
Indian J.mar.Sci., 10(4): 350-352.
Effects of bilateral eye stalk extfpation and injections of eyestalk (Es), brain (Br) and thoracic ganglia (ThG) extract on the ovarian development of eyestalkless and normal P. hardwickii were investigated.

19 ref.

321. Kulkarni, G.M. & T.S. Balasubramanium (1978)
(Central Marine Fisheries Research Sub-station, Karwar).
On the occurrence of deep sea snake fish Acanthocepola limbata (Cuvier) (Pisces Cepolidae) in Karwar waters.
Indian J.Fish. 25(1-2) : 243-246.

5 ref.

322. Kumar, S. & S.C. Pant (1981)
(Department of Zoology, D.S.B. Campus, Kumaun University, Naini Tal-263002)
Histopathologic effects acutely toxic levels of copper & Zinc on gills,liver & Kidney of Puntius conchonius (Ham.)
Indian J.exp.Biol., 19(2):191-194
The study revealed that these metalic salts are capable of producing severe damage in gills, and necrotic changes in the liver and kidney, leading to death of the fish.

17 ref.

323. Kunjipalu, K.K. & A.C. Kuttappan (1978).
(Veraval Research Centre of CIFT, Veraval, Gujatat)
Note on an abnormal catch of Devi Rays Dicero-batis eregoodoo Day in gill nets off Veraval.
Indian J.Fish 25(1-2):254-256.

3 ref.

324. Kurian, Alexander (1977)
(Central Marine Fisheries Research Institute, Sub-station, Bombay)
Index of relative importance a new method for assessing the food habit of fishes.
Indian J.Fish. 24(1-2):217-220

4 ref.

325. Kurup,B. Madhusoodana & C.T. Samuel(1980)
(1. Dept. of Marine Science University of Cochin Cochin-682016)
(2. Dept. of Industrial Fisheries, University of Cochin, Cochin-682016)
Fishes of the sub family Pellonulinae (Pisces : Clupeidae) from Vembanad lake, Kerala, South India.
Bull.Dept.Mar.Sci.Univ.Cochin, 11(1):85-98.

Short notes on ecology, habitat, occurrences ,abundance, fishing gears and geographical distribution of the two species are presented. A key for identification of the sub faimly Pellonulinae of Vembanad Lake is also provided.

30 ref.

326. Kuthalingam, M.D.K., P.Livingston & P.S. Sadasiva Sarma (1978)
(C.M.F.R.I., Centre, Vizhinjam)
Observations on the catches of the mechanised boats at Neendakara.
Indian J.Fish. 25(1-2): 98-108
8 ref.

327. Kuttyamma, V.J. (1980)
(Dept. of Marine Sciences, University of Cochin, Cochin-16)
Oxygen consumption Metapenaeus dobsoni
Bull.Dept.Mar.Sci.Univ.Cochin, 11(1):39-73.

The larger animals showed higher lethal levels than the smaller ones. The lethal levels were weight dependent and held a linear relationship with the body weight. The tolerance capacity to low oxygen content decreased as the animal became larger.

65 ref.

328. Kuttyamma, V.J. (1980)
(Dept. of Marine Sciences, University of Cochin, Cochin-16)
Studies on the prawns and the prawn larvae of the Kayamkulam lake and the Cochin backwaters.
Bull. Dept. Mar.Sci. Univ.Cochin, 11(1):39-73.
44 ref.

329. Samant, Jay S. (1981)
(Dept. of Zoology, Shivaji University, Kolhapur 416004)
Growth records of grass carp, Ctenopharyngodon idella.(al.) from Raukala Tank, Kolhapur.
J. Bombay nat. Hist. Soc. 78(2) : 392-394

The growth rate was 19.8 gm/day (with a maximum of 25.6 gm/day) is far more than recorded anywhere else for this fish.

330. Santhanam, R.[1], N. Sukumaran[2] & M.N. Kutty[3] (1980)
(1-2. Fisheries College, Tamil Nadu Agricultural University, Tuticorin - 628 003.
3. FAO/UNDP African Regional Aquaculture Centre, PMB 6165, Port Harcourt, Nigeria.)
Survival of fishes & crustaceans of Tuticorin Bay to graded increase in temperature.
Indian J.mar. Sci., 9(4) : 296-297

Among the species Therapon jarbua was most tolerant and squila the least.

..... 2 ref.

331. Sarkar, A.N. (1981)
(Fertilizer Division, Ministry of Agriculture, New Delhi 110 001.)
Prospects of sewage waste utilization in India.
J. Scient. Ind. Res., 40(5) : 287-294

....33 ref.

332. Sarma, A.L.N.[1], S. Satapathy[2] & D.G. Rao[3] (1981)
(1 & 3. Dept. of Life Science, Regional College of Education, Bhubaneswar 751 007.
2. Nayagarh College, Nayagarh, Orissa.)
Phytal macro & meiofauna of Chilka lake
Indian J. Mer. Sci., 10(1) : 61-65

Littoral phytal macro and meiofauna from Chilka lake have been studied and compared with the littoral phytal and benthic communities of other regions. .... 32 ref.

333. Sarvaiya, R.T. (1978)
(Marine Biological Research Station, Port Okha.)
Prawn fisheries of Kutch with special reference to Sukhper and Lakhpat.
Indian J. Fish. 25(1-2) : 35-40

.... 5 ref.

334. Saxena, B.S.
(Central Institute of Fisheries Education, Bombay)
Collections on fisheries economics.
CIFE Bulletin No. 80-21 : 175 p.

....

335. Saxena, U.P. (1981)

Cadmium - induced neoplasia in Channa punctatus (Bloch).
Curr. Sci., 50(16) : 735-736

.... 10 ref.

336. Saxena, P.K. (1980)
(Dept. of Zoology, Faculty of Sciences, Punjab Agricultural University, Ludhiana-141 004)
Role of eyes as photoperiodic receptors in the catfish Mystus tengara (Ham.)
Indian J. Exp. Biol., 18(8) : 903-905

A parallel level of ovarian recrudescence in blinded catfish exposed to long photoperiods (14 hr/day) and intact cat fish exposed to short photoperiods (1 hr/day) indicates retinal pathways are indispensable for mediating the effects of long photoperiods on ovarian recrudescence in this species. The potentiality of extra retinal structures involved in perception of photoperiod information is also discussed. .... 24 ref.

337. Seenappa, D. & L. Manohar (1980)
(Fish Pathology Unit, Department of Fishery Biology, College of Fisheries, Mangalore - 575 002.)
Myxobolus vanivilasae n. sp. parasitic in Cirhina mrigala (Ham.)
Proc. Indian Acad. Sci. (Anim. Sci.), 89(5) : 485-491.

.... 11 ref.

338. Selva Kumar R.A., Vijayalakshmi R. Nair & M. Madhupratap.
(National Institute of Oceanography, Dona Paula, Goa - 403 004)
Seasonal variations in secondary production of Mandovi, Zuari Estuarine System of Goa.
Indian J. Mar. Sci., 9(1) : 7-9

Mean rates of secondary production in the Mandovi, Zuari and Cumbarjua canal were 16.9, 35.9 and 32.4 mgC/m^2/day respectively. .... 13 ref.

339. Sen, D.P. & Gracy Mathew (1973-74)
(Central Food Technological Research Institute, Mysore-13)
Fish lipids and their role in nutrition, - A review of the status of research in India.
J. Indian Fish. Asso., 3 &4 (1-2) : 86-107
..... 60 ref.

340. Sen Gupta, R. & Sugandhini Naik (1981)
(National Institute of Oceanography, Dona Paula, Goa - 403 004)
Studies on calcium, magnesium & sulphate in the Mandovi & Zuari river systems (Goa).
Indian J. Mar. Sci., 10(1) : 24-34.
Calcium and magnesium appear to take some part in the bio-geo-chemical cycles of the rivers and behave as semi-conservative parameters. The possibility of loss of calcium and magnesium due to precipitation as their insoluble phosphates in the upper reaches of the rivers is discussed.
..... 17 ref.

341. Sen, Shanta & Samir Bhattacharya. (1981)
(Dept. of Zoology, School of Life Sciences, Visva Bharati University, Santiniketan 731 235)
Role of thyroxine & gonado-tropins on the mobilization of ovarian cholesteral in a teleost Anabas testudineus (Bloch)
Indian J. Exp. Biol., 19(5) : 408-412
..... 40 ref.

342. Seshappa, G. (1978)
(Central Marine Fisheries Research Institute)
Some observations on the size distribution and the occurrence of growth rings in the scales of three species of Cynoglossus at Calicut.
Indian J. Fish., 25(1-2) : 188-196
..... 12 ref.

343. Shakuntala Katre, S. Ravichandra Reddy & R. Ponnuchamy. (1980)
(Department of Biochemistry, New Science College, Hyderabad - 500 029)
Preliminary studies on the hatching rhythm in the freshwater prawn Macrobrachium lamarrei (H. Milne Edwards)
Indian J. Exp. Biol., 18(7) : 741-744.

A nocturnal larval hatching rhythm in the freshwater prawn M. lamarrei is reported.

..... 18 ref.

344. Sharma, Bhuvanesh Kumar & O.P. Saxena (1977)
(Zoology Research Laboratories, Multanimal Modi College, Modinagar)
Effect of hyperacticity on blood pH of a few freshwater teleosts.
Indian J. Fish., 24(1-2) : 261-263

The hyperactivity causes a significant fall in blood pH due to build up of blood lactic acid which is a reliable indicator of the condition of the fish.

..... 6 ref.

345. Shroni, Kalpana D. (1979)
(Dept. of Zoology, Aligarh Muslim University, Aligarh 202 001)
Influence of starvation on the brain and liver cholesterol levels of the catfish, Heteropneustes fossilis (Bloch)
Proc. Indian. Acad. Sci., 88B pt 1,(3) : 205-208

The cholesterol level decreased with starvation in liver but in brain, after registering an initial fall, it showed a distinct rise. The variations in the cholesterol level of fish observed during starvation have been attributed to the changes in the rate of cholesterol synthesis and metabolism.

..... 19 ref.

346. Sharma, D.C. & P.S. Davis (1980)
(Dept. of Biochemistry, J.L.N. Medical College, Ajmer 305 001.)
Effect of methylmercury on protein synthesis in liver of the European carp Cyprinus carpio.
Indian J. Exp. Biol., 18(9) : 1054-1055.

Mercury was concentrated in the liver 900 - fold and protein synthesis as measured by the rate of in vivo leucine incorporation was significantly diminished. The concentration of free sulfhydryl groups was not significantly altered.

..... 14 ref.

347. Sharma, G.P. & G.P. Bhatnagar, (1977)
(Dept. of Zoology, Motilal Vigyan Mahavidyalaya, Bhopal.)
Seasonal variation in plankton biomass and organic matter in Bhopal lake India.
J. Zool. Soc., 29(1&2) : 38-44
..... 25 ref.

348. Sharma, K.P. (1979)
(Directorate of Fisheries, Suratgarh-335 804, Rajasthan.)
Fish protein concentrate from freshwater shark (Wallago attu)
Proc. Indian Acad. Sci., 88B, pt.1(3) : 217-221

The possibility of using W. attu for the production of cheap and widely acceptable form of protein concentrate has been studiod.
..... 10 ref.

349. Shroni, Kalpana D. (1980)
(Dept. of Zoology, Aligarh Muslim University, Aligarh 202 001.)
Seasonal variations in the chemical composition of the catfish Heteropneustes fossilis (Bloch)
Proc. Indian Acad. Sci. (Anim. Sci.) 89(2) : 191-196

The fat content of the muscle showed two peak periods of accumulation one during November and other during May-July. The seasonal cycles of various biochemical constituents in the two tissues of the fish seemed to be governed partly by feeding and partly by the cycle of maturation and depletion of gonad.
..... 15 ref.

350. Shrestha, Tej Kumar. (1981)
Chief Investigator, Fish Ecology and Fishing Gear Study Project, Dept. of Zoology, Tribhuvan University, Kirtipur, Kathmandu, Nepal.)
Bamboo bridge fishing with lift net.
J. Bombay Nat. Hist. Soc., 78(2) : 395-397
..... 3 ref.

351. Shirgur, Girish, A. (1973-74)
(Taraporevala Marine Biological Research Station, Konkan Krishi Vidyapeeth, Dapoli, Bombay 400 002.)
Observations on efficiency of large capacity vertical flow bins for hatching, major carp eggs.
J. Indian Fish. Asso. 3 & 4(1-2) : 80-85
..... 2 ref.

352. Singh, Ajay Kumar (1981)
(Dept. of Zoology, Gorakhpur University, Gorakhpur 273 001.)
Effect of prolactin on the tissue glycogen & lipid content in the catfish Heteropneustes fossilis (Bloch)
Indian J. Exp. Biol., 19(5) : 425-427

Daily variation in hepato somatic index (HSI), lipid lipid and glycogen content of liver and muscle in H. fossilis show significant increase only in muscle glycogen during late hours (4.5 p.m.) of light phase. The lipid, and glycogen content varies in tissue according to the time of administration of prolactin. ..... 16 ref.

353. Singh, Fauran[1] & D. Singh[2] (1981)
(1. H.A.U. Hissar, 2. IASRI, New Delhi)
Acceptable sequential estimators of population mean.
J. Indian Soc. Agri. Stat., 33(1) : 29-37
..... 9 ref.

354. Singh, R.K. (1980)

Physiochemical characteriestics of soil and water in relation to fish food predictian.
J. Indian Soc. Soil Sci., 28(2) : 227-231

355. Singh, Shree Ram (1980)
(Dept. of Zoology, S.M.M. Town Post -Graduate College, Ballia-277 001)
Limnological studies of Suraha lake (Ballia) III periodicity of zooplankton.
Proc. Nat. Acad. Sci. India, 50B(4) : 198-210
..... 17 ref.

356. Singh, S.P., J.C. Malhotra, R.N. Seth, K.P. Srivastava, & K. Chandra. (1981)
(Central Inland Fisheries Research Sub-station, 24 Pannalal Road, Allahabad, U.P. 211 002)
Observations on rearing of hatchlings of catfish Mystus seenghala (Sykes).
Aquaculture, 26(1&2) : 161-166.
..... 7 ref.

357. Singh, Wazir & H.R. Singh (1981)
(Dept. of Zoology, Garhwal University, Srinagar, Garhwal 246 174.)
Olfactory organs of a hillstream sisorid catfish Pseudochenois sulcatus (McClelland) in relation to its ecological habitat.
Proc. Indian Natn. Sci. Acad., 47B(2) : 170-174
..... 19 ref.

358. Sinha, N.D.P.[1] & J.S. Datta Munshi.[2] (1980)
(1. Dept. of Zoology, T.N.B. College, Bhagalpur-812 007. 2. P.G. Dept. of Zoology, Bhagalpur-812 008.)
Dimensions of body fluid spaces & electrolyte distribution in an amphibious freshwater teleost Channa punctatus (Bloch)
Indian J. Exp. Biol., 18(9) : 980-982

Dimensions of various extra and intracellular compartments and distribution of Na^+, K^+ and Cl^- in them were estimated in C. punctatus at resting stage of its gonadal cycle.
..... 17 ref.

359. Sinha, N.D.P.[1] & J.S. Datta Munshi[2] (1981)
(1. Dept. of Zoology, T.N.B. College, Bhagalpur-812 007. 2. P.G. Dept. of Zoology, Bhagalpur-812 007)
Intravascular components of an air-breathing teleost Channa punctatus (Bloch) - their dimensions & responses to osmotic stress.
Indian J. Exp. Biol., 19(8) : 763-765

The study revealed capacity of fish to sustain nearly 50% rise in solute concentration of its precellular fluid.
..... 15 ref.

360. Sinha, V.N.P., H.A. Khan, D.P. Chakraborty & M.V. Gupta (1980)

Preliminary observations on nitrogen balance of some ponds under composite fish culture. Aquacultural Hungarica, 2 : 105-116

361. Sivalingam, P.M. & K. Rajagopalan (1981)
(School of Biological Sciences, University of Sciences Malaysia, Minden, Pulau, Puiang Malaysia.)
Microbial flora in mucoidal discharge of cultured green mussel Perna viridis (Linn.)
Indian J. Mar. Sci., 10(1) : 98-100

Seven microbial colonies were isolated from P. viridis and identified.

..... 10 ref.

362. Somasekhar, T., M.V.V. Subramanyam & R.V. Krishnamoorthy. (1981)
(Dept. of Zoology, University of Agricultural Sciences, GKVK Campus, Bangalore-560 065)
Depth discrimination in the freah water field crab Oziotelphusa senex senex.
Indian J. Exp. Biol., 19(10) : 991-992

..... 7 ref.

363. Soota, T.D. & S.B. Bhattacharya.
(Zoological Survey of India, Calcutta)
On some Acanthocephalans from Indian marine fishes.
Bull. Zool. Surv., India, 3(3) : 227-233

The paper deals with five species of acanthocephalans from Indian marine fishes. One species is new and the rest form new locality records. A brief review of the genus Serrasentis Van Cleave, 1923 has also been inculded. ..... 15 ref.

364. Sousa, S.N. De, R. Sen Gupta, Sujata Sanziri & M.D. Rajagopal. (1981)
(National Institute of Oceanography, Dona Paula, Goa-403 004)

Studies on nutrients of Mandovi & Zuari River System.
Indian J. Mar. Sci., 10(4) :314-321

Seasonal cycle of nutrients was related to rainfall and application of agricultural fertilizers in the low lying areas. ..... 30 ref.

365. Sousa, S.N., De, S.W.A. Naqvi & C.V.G. Reddy. (1981)
(National Institute of Oceanography, Dona Paula, Goa- 463 004.)
Distribution of nutrients in the western Bay of Bengal.
Indian J. Mar. Sci., 10(4) : 327-331.
..... 23 ref.

366. Sreenivasan, P.V. (1978)
(CMFRI Field Centre, Porto Novo)
Observations on the fishery and biology of Megalaspis cordyla (Linn.) at Vizhinjam.
Indian J. Fish., 25(1-2) : 122-140.
..... 16 ref.

367. Sri Raman, A.K.[1] & S.N. Gaonkar[2] (1981)
(1. Chemistry Division, Bhabha Atomic Research Centre, Bombay - 400 085. 2. Naval Chemical and Metallurgical Laboratory, Bombay 400 023.)
Chlorine pH relationship in seawater.
Indian J. Mar. Sci., 10(4) : P 373.

An inverse linear relationship between residual chlorine and pH is observed when chlorine is injected into sea water. ..... 7 ref.

368. Srivastava, C.B.L. (1980)
(Dept of zoology University of Allabad)
Ultrastructure of the skin of Sternarchus albifrons (Gymnotidae) with special reference to its significance in electro reception by this weakly electric fish.
Proc. Nat. Acad. Sci. India , 50B (3) : 177

369. Srivastava, D.K.[1] & R.K. Tyagi[2](1979)
(1. Dept. of Zoology, KAD College, Allahabad-211 001. 2. CIFRI Substation, Pannalal Road, Allahabad.)
Morphometric characters of carp minnow Osteobramacotio (Ham.)
Proc. Indian Acad. Sci., 88B pt.1(5) : 339-344
..... 10ref.

370. Srivastava, Neera (1980)
(Dept. of Zoology, Rajasthan University, Jaipur)
Cyclic changes in the pituitary and interrenal glands of Channa punctatus (Bloch).
Proc. Nat. Acad. Sci. India, 50B(1) : 43-46

The histological changes in these two glands are directly correlated. The relation of natural environmental factors and other endocrine glands to pituitary and interrenal activity has also been discussed.

...

371. Srivastava, R.C. (1980)
(Botanical Survey of India, Allahabad-211 002)
Host range of Achlya diffusa Harvey ex Johnson on certain freshwater fishes of India.
J. Indian Bot. Soc., 59(3) : 184-186.

The host range of Achlya diffusa has been extended to P. sophore, P. ticto, P. conchinius, Colisa lalia, Labeo rohita, L. bata, L. calbasu, C. mrigala, Anabas testudineus and C. punctatus by artificial inoculation.

... 7 ref.

372. Srivastava, Surendra K.A. (1981)
(Punjabi University, Patiala.)
A generalized two-phase sampling estimator.
J. Indian Soc. Agri. Stat., 33(1) : 38-46.
... 9 ref.

373. Subramonium, T. (1981)
(Unit of Invertebrata Reproduction, Dept. of Zoology, University of Madras, Madras-600 005.)
Sexual and reproductional endocrinology of crustacea.
J. Scient. Ind. Res., 40(6) : 355-403.
... 75 ref.

374. Sukumaran, N. & M.N. Kutty (1979)
(Fisheries College, Tamil Nadu, Agricultural University, Tuticorin 628 003.)
Oxygen consumption and nitrogen excretion in mullet, Rhinomugil corsula (Ham.), with special reference to swimming speed.
Proc. Indian Acad. Sci., 88B pt.1,(5) : 345-351.

It is found that whereas the O_2 consumption, the CO_2 output and the respiratory, quotient dicreased with increase in the duration of exercise, the NH_3-N and total N excretion showed the opposite trend.
..... 23 ref.

375. Sukumaran, N. & M.N. Kutty (1981)
(Fisheries College, Tamil Nadu Agricultural University, Tuticurin 628 003.)
pH regulation during longterm swimming in the mullet, Rhinomugil corsula (Ham.)
Proc. Indian Acad. Sci. (Anim. Sci.), 90(3) : 303-306.

The regulation of blood pH during long-term swimming in mullet, R. corsula acclimated to 30°C and forced to swim in a tunnel type apparatus for five hours continuously was studied. ..... 16 ref.

376. Sumitra Vijayaraghavan & V. Ramadhas. (1980)
(National Institute of Oceanography, Dona Pausa, Goa 403 004.)
Conversion efficiency in the shrimp, Metapenaeus monoceros (Fabricius) fed decomposed mangrove leaves.
Indian J. Mar. Sci., 9(2) : 123-124.

Maximum conversion efficiency was found in shrimps fed completely decomposed mangrove leaves. Differences in the conversion efficiency obtained in the shrimps were attributed to bio-chemical composition of the feeds which varied as decomposition process preceeded.
..... 16 ref.

377. Sumitra - Vijayaraghavan Joseph P. Royan & L. Krishna Kumari (1981)
(National Institute of Oceanography, Dona Paula, Goa 403 004.)
Use of slaughter house waste as a food for shrimps & prawns.
Indian J. Mar. Sci., 10(4) : 390-392.
.... 25 ref.

378. Sumitra - Vijayaraghavan M.D. Rajagopal & M.V.M. Wafar. (1980)
(National Institute of Oceanography, Dona Paula, Goa 403 004.)
Seasonal variations in biochemical composition of some sea weeds from Goa coast.
Indian J. Mar. Sci., 9(1) : 61-62.
.... 13 ref.

379. Sumitra-Vijayaraghavan, L. Krishna Kumari& Joseph P. Royan (1981)
(National Institute of Oceanography, Dona Paula, Goa 403 004.)
Aquaculture of pearl spot (Etroplus suratensis) in an estuarine pond. Some aspects of energetics.
Indian J. Mar. Sci., 10(4) : 363-365

The annual consumption, production, energy loss through respiration and faeces were estimated/kcal respectively. E. suratensis had high assimilation efficiency (90.31%) but a low conversion efficiency (K_1-2.14% K_2-2.37%) A very large portion of energy was lost in respiration.

380. Sumitra-Vijaya Raghavan [1] L. Krishna Kumari,[2] V.G. Gopinathan[3] & R.M. Dhawan.[4] (1981)
(1-2. National Institute of Oceanography, Dona Paula, Goa 403 004.
3-4. Directorate of Fisheries, Govt. of Goa, Daman & Diu. Panaji, Goa 403 001)
Aquaculture of pearl spot (Etroplus suratensis) in an estuarine pond : environmental characteristics Primary production, growth and cost-benefit ratio.
Indian J. Mar. Sci., 10(1) : 82-99.

/ to be 17054,365,15037 and 1652

Fish production rate was worked out to be 437.5 kg/ha/yr. Cost of production was about Rs. 3300/ha and the rate of return on investment was 33%. ... 18 ref.

381. Sumitra Vijayaraghavan[1] L. Krishna Kumari[2] R.M. Dhawan[3] & Joseph Royan.[4] (1981)
(1,2 &4. National Institute of Oceanography, Dona Paula, Goa-403 004. 3. Directorate of Fisheries, Govt. of Goa, Daman & Diu, Panaji, Goa-403 001)
Caloric densities of ingested food of Etroptus suratensis (Bloch) grown in a culture pond.
Indian J. Mar. Sci., 10(12) : 205-207.

E. suratensis is principally a phytoplankton - detritus feeder. Biochemical analysis of the ingested food showed that 44% was contributed by ash content, 56% was of organic constituents. The ratio of body calorie to food calorie was high. ... 13 ref.

382. Sunder Shyam & C.B. Joshi.
(Cold water Fisheries Research Unit of the CIFRI, Harwan, Srinagar, (Kashmir)
Preliminary observations on the spawning of Tor putitora (Ham.) in Anji stream, Jammu Province, during 1969.
Indian J. Fish., 24(1-2) : 253-258.
... 5 ref.

383. Talwar, P.K. (1980)
(Zoological Survey of India, Calcutta)
A new species of Atro bucca (Pisces : Sciaenidae) from the Arabian Sea.
Bull. Zoo.. Surv. India, 3(1&2) : 23-26.
... 3 ref.

384. Talwar, P.K.[1] & A.A. Chakravarthy.[2] (1980)
(1. Zoological Survey of India, Calcutta-700 016. 2. Integrated Fisheries Project, Cochin (Kerala State).
The deep water Atlantic fish Liosaccus cutaneus (Gunther) (Tetraodontidae) in Indian waters.
Bull. Zool. Surv. India, 3(1&2) : 115-117.

The species is redescribed. ... 6 ref.

385. Talwar, P.K. (1981)
(Zoological Survey of India, Calcutta)
The electric rays of the genus Heteronarce Fowler (Rajiformes : Torpedinidae) with a description of a new species.
Bull. Zool. Surv. India, 3(3) : 147-151.

Heteronarce prabhui, a new species of Torpedinidae is described. The relationship of Heteronarce to other torpedinoid genera is reviewed and characters for the separation of the five Indian genera are keyed. ... 13 ref.

386. Talwar, P.K. (1981)
(Zoological Survey of India, Calcutta)
The electric rays of the guns Torpedo Houttuyn (Rajiformes : Torpedinidae) of Indian Seas.
Bull. Zool. Surv. India, 3(3) : 185-189.

The morphology of the new specimens is described. The specific status of the three earlier reported species of Torpedo is reviewed and notes are given on the taxonomy and distribution of the four species of our region and characters for their separation are keyed. ... 3 ref.

387. Thangaraja, M. & K. Ramamoorthi (1980)
(Centre of Advanced Study in Marine Biology, Annamalai University, Parangipettai 608 502, S. India)
Early life history of Anadontostoma chacunda (Ham. Buch) from Porto Novo.
Indian J. Mar. Sci., 9(2) : 136-139.
... 10 ref.

388. Thomas, M.M. (1977)
(Central Marine Fisheries Research Institute, Cochin - 682 018.)
Decapod crustaceans new to Andaman and Nicobar islands.
Indian J. Fish, 24(1-2) : 56-61.

13 species were collected and identified. Points of taxonomic interest are also discussed. ... 20 ref.

389. Thomas, M.M. (1977)
(Central Marine Fisheries Research Institute, Cochin.)
A new record of Epiperaeon incens Nobili (Bopiridae: Isopoda) parasitic on Penaeus semisulacatus de Haan from Palk Bay and Gulf of Mamar.
Indian J. Fish., 24(1-2) : 258-261.
... 3 ref.

390. Thomas, P.A. & M.M. Kunju (1978)
(Central Marine Fisheries Research Centre, Goa.)
On an unusual catch of Ghol Pseudosciaena diacanthus off Goa.
Indian J. Fish., 25(1-2) : 266-268.
... 3 ref.

391. Thomas, P.C. & T.L. Murthy (1978)
(Orissa University of Agriculture and Technology, Bhubaneswar, Orissa.)
Changes in few piscine enzymes due to endrin and sevin toxicosis.
Indian J. Fish., 25(1-2) : 1-8.

The invivo effect of endrin treatment at a dose of 2-3 micrograms per kg body wt., 30 times within a period of 51 days and sevin treatment, 7-8 mg/kg body wt. 13 times within a period of 21 days on the haemoglobin content, carbonic anhydrase, catalase and alkaline phosphatase activities in H. fossilis is reported. ... 22 ref.

392. Thompson, Martin P.K. & M.M. Meiyappan. (1977)
(Central Marine Fisheries Research Institute, Cochin - 18).
Monostrilla turgida scott (Copepoda : Monstrilloida) a new record from the Indian waters.
Indian J. Fish., 24(1-2) : 206-210.
... 7 ref.

393. Tripathy, N.K. & C.C. Das. (1981)
(Post-Graduate Dept. of Zoology, Berhampur-760 007)
The karyotype of Trichogaster fasciatus (Osphranenidae, pisces).
Curr. Sci., 50(20) : 916-917.
... 9 ref.

394. Uma Devi, D.V., K. Shyama Sundari & K. Hanumantha. (1980)
(Dept. of Zoology, Andhra University, Waltair-530 003).
Copepod parasites of fishes of Waltair coast : Anatomy of the female reproductive system of Pseudocycnus appendiculatus Heller 1865.
Proc. Indian Acad. Sci. (Anim. Sci.), 89(5) : 431-439.
... 24 ref.

395. Varghese, T.J. & B. Shantharam. (1979)
(College of Fisheries University of Agricultural Sciencos, Mangalore-575 002)
Preliminary studies on the relating growth rates of three Indian major carp hybrids.
Proc. Indian Acad. Sci., 88B,pt.1(3) : 209-216.
After the comparative study of the growth rates of Indian ma or carp hybrids, namely, catla-rohu, mrigal-rohu and mrigal-catla. It is shown that the growth of catla-rohu hybrid was the fastest. ... 9 ref.

396. Varma, P.R.G. & Jose Joseph. (1980)
(Central Institute of Fisheries Technology, Cochin-682 029)
Canning of squid.
Fish Technol., 17(2) : 93-94.
... 4 ref.

397. Vasantha, N. & S.A.T. Venkatachari (1980)
(Dept. of Zoology, Osmania University, Hyderabad-500 007).
Antagonistic effects of acetyl chlorine & adrenaline on red chromatophores of the prawn Caridina weberi de Man.
Indian J. Exp. Biol., 18(7) : 738-740.
... 17 ref.

398. Veerayya, M., C.S. Mutty & V.V.R. Varadachari. (1981)
(National Institute of Oceanography, Dona Paula, Goa-403 004)
Sediment distribution in the offshore regions of Goa.
Indian J. Mar. Sci., 10(4) :332-336.
Sediment samples were studied for their particle size and areal distributions. ... 15 ref.

399. Veerayya, M., C.S. Murty & V.V.R. Varadachari. (1981)
(National Institute of Oceanography, Dona Paula, Goa 403 004).
Wave refraction & littoral currents off Colva Beach, Goa.
Indian J. Mar. Sci., 10(1) : 1-9.

The studies show that waves approaching from W and WSW generate onshore-offshore flows and converging and diverging alongshore flows, giving rise to circulation cells in the nearshore regions. ... 11 ref.

400. Venkataramanujam K. and K. Ramamoorthi (1975)
(C.A.S. in Marine Biology, Annamalai University, Porto-Novo, 608 502, Tamil Nadu)
A preliminary survey on the fishery resources of Porto Novo coast. South India.
J. Indian Fish. Asso., 5(1-2) : 111-115.
... 7 ref.

401. Venkateswaralu, T. (1981)
(Zoological Survey of India, Southern Regional Station, Madras.)
First record of Ambassis interrupta Bleeker (Pisces : Chandidae) from seas of India.
Bull. Zool. Surv., India, 3(3) : 211-212.
... 3 ref.

402. Venugopalan, V.K., G.S. Vijayalakshmi, & A. Rajendran. (1981)
(Centre of Advanced study in Marine Biology, Parangipettai - 608 502).
Nitrate-phosphate relationship in a tropical estuarine environment.
Indian J. Mar. Sci., 10(4) : 379-381.
... 22 ref.

403. Verma, S.R., N. Pal,A.K. Gupta,S.K. Bansal, A.K. Tyagi, M.C. Bhatnagar & R.C. Dalela. (1980)
(Pollution Relevant Research Laboratory, Dept. of Zoology, DAV College, Muzaffarnagar.)
Acute toxicity of five synthetic detergents to Channa punctatus and Saccobranchus fossilis.
Proc. Indian Acad. Sci. (Ani. Sci.), 89(1) :

The LC_{50} values and slope function (S) for one nonionic and four anionic detergents were determined at 24.48.72 and 96 hr intervals by graphical interpolation and probit analysis. ... 34 ref.

404. Verma S.R. Virendra Kumar & R.C. Dalela. (1981)
(Pollution Relevant Research Laboratory, Dept. of Zoology, D.A.V.(P.G.) College, Muzaffarnagar 251 001.)
Acute toxicity of three newly formulated pesticides to fish Mystus vittatus.
Indian J. Environ. Hlth, 23(3) : 215-221.

Evaluated the comparative toxicity of sumicid (commercial and technical), monitor (commercial grade) and orthenene (commercial & technical grade) to M. vittatus for 24,48,72 & 96 hrs. ... 31 ref.

405. Verma, S.R., Virendra Kumar & R.C. Dalela (1981)
(Pollution Relevant Research Lab, Post Box-264, Zoology Dept. D.A.V. College, Muzaffarnagar. 251 001)
Studies on the accumulation and elimination of three pesticides in the gonads of Notopterus notopterus and Colisa fasciatus.
Indian J. Environ. Hlth., 23(4) : 275-281.

Deals with the accumulation and elimination of chlordane 20 EC (an organochlorine), Ethylparathion (an organophosphate) and Sevin (carbonate) in the four gonadial stages of freshwater teleosts N. notopterus and C. casciatus.

406. Victor, A.C.C. (1978)
(Tuticorin Research Centre of CMFRI, Tuticorin-628 001).
Length weight relationship in the Malabar sole. Cynoglossus macrostomus Norman.
Indian J. Fish., 25(1-2) : 259-262

The length-weight relationship is described by the formula $W = 0.000007872 < L\ 2.9145$.
... 5 ref.

407. Vinayak, V. & B. Neelakantan
(Post-Graduate Dept. of Marine Biology, Kodibag, Karwar-581 303.)
Fat and water contents of the muscle and gonad of otolithus argentons in relation to gonad growth.

Banerji, S.R. 205, 206

Bansal, S.K. 403

Bapat, S.V. 207

Baragi, Vijaya Kumar M. 208, 209

Barrackpore Central 210, 211, 212
Inland Fisheries Research
Institute.

Barua, Arun B. 280, 281

Basak, P.K. 213, 214

Basavaraju, Y. 215

Bhagat, M.J. 216

Bhalla, S.N. 217

Bharati, S.G. 222

Bhatnagar, G.P. 347

Bhatnagar, M.C. 403

Bhattacharya, G.K. 219

Bhattacharya, Samir 341

Bhattacharya, S.B. 363

Bhattacharya, S.S. 218

Bhowmick, R.M. 220

Bohlke, James E. 221

Bokil, S.D. 299

Bongale, U.D. 222

Chakravarthy, A.A. 384

Chakraborty, D.P. 360

Chakrabarti, N.M. 223

Chakraborty, P.K. 224

Chandra, K. 356

Chandra, K.J. 225, 485

Chari, S.T. 226

Chatterji, Anil 229

Chatterjee, T.K. 227, 228

Chaturvedi, L.D. 230

Chaturvedi, M.L. 231

Chauhan, R.S. 232

Chellam, A. 186, 233, 234

Chennubhotla, V.S. 235

Cherian, C.J. 236

Cheriyan, P.V. 236

Chetty, Sreeramulu 191

Chhapgar, B.F. 237

Chhatbar, Sudhir 238

Chungath Joy P. 239

Cochin, Central Marine Fisheries Research Institute. 240, 241

Dabral, R. 301

Dalela, R.C. 403, 404, 405

Daniel, A. 242

Dan, S.S. 243, 244, 245

Das, C.C. 393

Das, Mrinal K. 296

Das, R.N. 295

Datta, A.K. 246, 247

Datta, S.N. 249

Datta Munshi, ... 182, 248, 358, 359

Davis, P.S. 346

Dehadrai, P.V. 250

Desai, B.N. 267, 309

Deshmukh, S.S. 251

Deshpande, V.D. 252

Devadasan, K. 200

Devadoss, P. 253, 254, 255, 256

Devarajan, K. 257, 276

Dhage, K.P. 258, 259

Dhargalkar, V.K. 260

Dhawan, R.M. 380, 381

Dhevendaran, K. 261, 262

Dhulkhed, M.H. 263, 264

Dubey, N.K. 265

Dubey, Usha 265

Durairaj, S. 266

Dwivedi, S.N. 188, 216

Gajbhiye, S.N. 267

Gantayat, S.C. 268, 269

Gaonkar, S.N. 367

George, P.C. 271

George, M.K. 270

Ghosh, Malay 272

Ghosh, S.R. 273

Ghosh, Subir 274

Gill, T.S. 275

Girijavallabhan, K.G. 257, 276

Geel, H.R. 277

Goel, K.A. 278

Gopakumar, A.K. 239

Gopinathan, V.G. 380

Gowsami, A.K. 279
Goswami, Bhabesh C. 260
Goswami, S. 312
Goswami, Umesh C. 281
Govindan, K. 309
Gunale, V.R. 282
Gupta, A.K. 403
Gupta, M.V. 360
Gupta, S.K. 312
Hafeezullah, M. 283, 284
Hamsa, K.M.S. Ameer 285, 286, 287, 288
Hanumantha, K. 394
Hasnain, Absar-Ul 190
Hingarani, H.G. 289
Hussain, Syed Altaf 290
Indira, K. 191
Iyer, T.S. Gopalakrishna 291
Jacob, Sheila Susan 292
Jadhav, M.L. 293
Jagdip, T.G. 260
Jagtap, T.G. 294
James P.S.B.R. 208, 209
Jana, B.B. 295
Jayaram, K.C. 296
Jayasri, M. 297
Jhingran, V.G. 298
Joseph, A.C. 291
Joseph, Jose 396
Joshi, A.G. 300

Joshi, B.D. 230, 301
Joshi, C.B. 302, 382
Joshi, P.K. 319, 320
Joshi, S.C. 204,
Joshi, S.N. 303
Joy, K.P. 304
Kalawar, A.G. 305
Kalimuthu, S. 235
Kaliaperumal, K.N. 235
Kaliyamurthy, M. 306, 317
Kamaldeep 307
Karamchandani, S.J. 308
Karande, A. 198
Karmakar, A.K. 246, 247
Kasinathan, R. 309
Kewalramani, H.G. 218
Khan, H.A. 360
Khanna, S.S. 303
Khan, S. Ajmal 310
Khatri, C.G. 311
Khuda - Bukhsh, A.R. 312
Konar, S.K. 213, 214, 313
Koundinya, P.R. 314
Krishna Kumari L. 377, 379, 380, 381
Krishna moorthi, B. 315, 316
Krishnamurthy, K.N. 317
Krishnamoorthy, R.V. 362
Kulkarni, C.V. 318
Kulkarni, G.K. 319, 320
Kulkarni, G.M. 321

Kumar, S. 322
Kunhikoya K.K. 197
Kunjipalu, K.K. 323
Kunju, M.M. 390
Kurian, Alexander 324
Kurup, B. Madhusoodana ... 325
Kuthalingam, M.D.K. 326
Kuthappan, A.C. 323
Kuthyamma, V.J. 327, 328
Kutty, M.N. 330,374, 375
Laal, A.K. 248
Lakshmana Perumalsamy, P. . 261, 262
Lazar, John U. 299
Livingston, P. 326
Lomte, V.S. 293
Mahajan, C.L. 185
Malhotra, J.C. 356
Malhotra, Sandeep K. 232
Manohar, L. 337
Marathe, V.B. 251
Mathew, Grasy 339
Mather, P.N. 297
Matondkar, S.G.P. 194
Meiyappam, M.M. 392
Menezes, Maria R. 409
Mohamed, O.M.M.J. 258, 259
Mohanty, A.N. 273
Mozumder, P. 245
Mukhopadhyay, Nitis 272

Muniyandi, K. 256
Murty, C.S. 398, 399, 528
Murthy, T.L. 391
Nagabhushanam, R. 252, 319, 320
Naik, Sugandhini 340
Nair, N. Balakrishnan 292
Nair, P.N. Radhakrishnan 197
Nair, Vijayalakshmi R. 338, 467
Nammalwar, P. 288
Naqvi, S.W.A. 365
Natarajan, P. 256
Natarajan, R. 310
Neelakantan, B. 407
Niazi, I.A. 184
Pal, N. 403
Pandey, P.K. 265
Pant, J.C. 275
Pant, S.C. 322
Parulekar, A.H. 194
Parvateesam, M. 297
Patnaik, B.K. 268, 269
Pillai, P.K. Mahadevan 256
Pitchiah, P. 266
Ponnuchamy, R. 343
Raghav, K.S. 217
Rajagopalan, K. 361
Rajagopal, M.D. 364, 378, 409
Rajendra, C. 191
Rajendran, A. 402
Rakesh Kumar 183

Ramachandran, R. 289
Ramadhas, V. 378
Ramamoorthi K. 387, 400
Ramamurthi, R. 314
Ramamurthi, S. 264
Ram, Mohan H.S. 40
Ram, S.N. Jiyalal 267
Randall, John E. 221
Rao, A.V. Prabhakara 306
Rao, D.G. 332
Rao, G. Ramamohana 306
Rao, K. Hanumantha 225, 290
Rao, K. Madhusudhana 289
Reddy, C.V.G. 365
Reddy, S. Raichandra 343
Reddy, Y. Srinivasa 202
Rege, M.S. 300
Royan, Joseph P. 377, 379, 381
Samant, Jay S. 329
Samuel, C.T. 325
Sane, S.R. 237
Santhanam, R. 330
Sanzgiri, Sujata 364
Sarkar, A.N. 331
Sarma, A.L.N. 332
Sarma, P.S. Sadasiva 326
Sarvaiya, R.T. 333
Satapathy, S. 332
Sathyanesan, A.G. 304
Saxena, B.S. 334
Saxena, O.P. 277, 335, 344

Saxena, P.K. 336

Seenappa, D. 337

Sehgal, K.L. 302

Selvakumar, R.A. 338

Sen, D.P. 339

Sengupta, R. 340 364

Sen, Shanta 341

Seshappa, G. 342

Seth, R.N. 356

Shah, K.L. 248

Shakuntala Katre 343

Shantharam, B. 395

Sharma, B.B. 230

Sharma, Bhuvanesh Kumar 344

Sharma, D.C. 346

Sharma, G.P. 347

Sharma, K.P. 348

Shenoy, Vasanth 239

Shirgur, Girish A. 351

Shreni, Kalpana 345, 349

Shrestha, Tej Kumar 350

Shyama sundari, K. 394

Shyam, Sunder 302, 382

Singh, Ajay Kumar 352

Singh, D. 353

Singh, Fauran 353

Singh, H.R. 201, 357

Singh, M.L. 203

Singh, R.K. 354

Singh, Shree Ram 355

Singh, S.P. 356
Singh, Wazir 357
Sinha, N.D.P. 358, 359
Sinha, V.R.P. 360
Sivalingam, P.M. 361
Soejoeti, Z. 219
Somasekhar, T. 362
Soota, T.D. 363
Sousa, S.N. De 364, 365
Souza, Joe D. 198
Sreenivasan, A. 226
Sreenivasan, P.V. 366
Sriraman, A.K. 367
Srivastava, C.B.L. 368
Srivastava, D.K. 369
Srivastava, K.P. 356
Srivastava, Neera 370
Srivastava, R.C. 371
Srivastava, Surendra K. 372
Stirling, Ann. 409
Subramanyam, M.V.V. 362
Subramanium, T. 373
Sukumaran, N. 330, 374, 375
Sumitra-Vijayaraghavan 376, 377, 378, 379, 380, 381, 505, 506, 507, 508, 509, 510

Swami, K.S. 191
Talwar, P.K. 383, 384 385, 386
Tandon, K.K. 277
Thakur, Nirmal K. 206
Thakur, S.K. 205

Thangaraja, M. 387
Thankamma, R. 239
Thomas, M.M. 388, 389, 517, 518
Thomas, P.A. 390
Thomas, P.C. 391
Thompson, Martin P.K. 392
Toor, H.S. 307
Tripathi N.K. 393
Tyagi, A.K. 403
Tyagi, R.K. 369
Tyagi, S.K. 278
Uma Devi, D.V. 394
Untawale, A.G. 260, 294
Varadachari, V.V.R. 398, 399
Varghese, T.J. 215, 395
Verma, P.R.G. 396
Vasantha, N. 397
Veerayya, M. 398, 399
Venkatachari, S.A.T. 397
Venkataramanujam, K. 400
Venkateswaralu, T. 401
Venugopalan, V.K. 402
Verma, S.R. 403, 404, 405
Victor, A.C. 406
Vijaya Kumaran, K. 181
Vijayalakshmi, G.S. 402
Vinayak, V. 407
Virendra Kumar 404, 405
Viswanadham, D.V. 408
Wafar, M.V.M. 378, 409
Yohannan, T.M. 411
Yazdani, G.M. 410

III. Subject Index

(Subject headings with their sub-headings are listed elphabatically. Reference is given to the serial number of the entry).

ALGAE ... 222

BEHAVIOUR - breeding & feeding ... 206,253,320,343

BENTHOS ... 217,309

BIOCHEMISTRY ... 185,187,190,191 194,204, 214,231,238,259,260,266, 269,275,278,279,281,285, 304,329,340,349,364,367, 376,401,409,410,424,433, 434,438,441,449,450,451, 464,470,473,474,478,481, 507,520,526,536.

DISTRIBUTION & ECOLOGY ... 195,221,227,228,236,237,[illegible], 246,247,248,257,267,276, 310,321,357,383,384,386, 388,392,401,410.

ECONOMICS ... 334

EXPERIMENTAL & EXPLORATORY FISHING ... 181,315,316,323,326.

FISH CULTURE

a) General ... 189,249,480

b) Induced & artificial breeding ... 220,365

c) Brackishwater aquaculture 223,365,427,440,454,457, 508,509.

d) Mariculture ... 233,235,264,387,416,457.

e) Freshwater fish culture .. 295,298,308,458,485.

FISH EGGS, LARVAE & JUVENILES- Embryology & development ... 184,196,215,318,387.

FISHERIES BIOLOGY & POPULATION DYNAMICS ... 197,201,208,209,229,243, 244,245,253,254,256,263, 303,317,324,342,366,382, 395,406.

FISHERIES SURVEYS & INVESTIGATIONS	...	197,203,207,255,258, 287,302,305,316,400, 411.
FISHING CRAFTS & FISHING AIDS		
a) Fishing vessels & accessories	...	180
b) Fishing aids		
FISHING HARBOURS, PIERS & WHARVES	...	242
WOOD BORERS		
FISHING METHODS & GEARS	...	205,350.
FISH MORTALITY	...	289
FISH PATHOLOGY (Parasites, diseases & abnormalities)	...	182,183,225,232,261, 265,283,284,290,297, 301,337,361 363,371, 389,394.
FISH SEED	...	306
FISH TECHNOLOGY	....	199,220,226 238,248, 396,476.
FROGS	...	184
GENERAL REPORTS	...	193,210,211,
GENETICS	...	312,393.
HYDROGRAPHY, METEOROLOGY & GENERAL ECOLOGY		
a) Marine waters	...	294,330/399,409, /367
b) Inland & brackish waters	...	193,282,295,340,355, 364,402.
INSTRUMENTS & INSTRUMENTATION	...	372

MATHEMATICAL & STATISTICAL METHODS	...	219,232,263,272,274, 311,353.
MICROBIOLOGY	...	198,262,291,361,412.
MISCELLANEOUS	...	216,224,240,250,270, 271,298,323,371,390.
MORPHOLOGY, ANATOMY & HISTOLOGY	...	192,230,277,357,358,359, 368,368,368,369,373.
NUTRITITION	...	239,339,376,377,381.
PACKAGING, TRANSPORTATION & MARKETING	...	266
PHYSIOLOGY	...	188,204214,259,278,280, 281,286,292,293,304,307, 314,319,320,327,344,345, 349,351,352,353,358,363, 378,385,388,405,431,465, 473,474,477,487,499,503, 504.
PLANKTON		
a) Zooplankton	...	218,267,288,333,355,394
b) Phytoplankton	...	234,461.
c) general	...	347
d) productivity	...	338,364,365,380,402.

POISONING & TOXICITY	...	202,204,213,214,251,252, 209,229,243,244,245,253, 253,342,366,382,395,406.
POLLUTION AND TREATMENT	...	267,279,331,408.
POND FERTILIZATION & SOIL CHEMISTRY	...	273,354,360
SEA-WEEDS	...	235,260,294,378.
SHELL FISH FISHERIES	...	186,223,328,375,376,387, 403,404,415,416,426,443, 444,445,462,472,491,517,526.
SYMPOSIA,CONGRESSES,CONFE-RENCES ETC.	...	212,241.
SYSTEMATICS	...	227,257,296,325,385,386,410.

IV TAXONOMIC INDEX

(Based on the taxonomic terms of the Fishes, frogs, Prawns and crabs occuring in the title and also in the body of the paper. The names of other group appear as per their taxonomic status in the Animal Kingdom. Names of the autherities have been omitted from taxonomic terms).

Acanthocepola limbata ... 321
Acanthocybium solandri ... 400
Acetes sp. ... 324
Aetobatus flagellum ... 255
Aetomylus michofii ... 255
Ambassis interrupta ... 401
Amphipnous cuchia ... 313
Anabas testudineus .... 202,206,280,295,341,371.
Anadontostoma chacunda ... 387,400
Atrobucca alcocki ... 383
Bagarius bagarius ... 183
Barbus ticto ... 344
Barilius bola ... 232
Belone spp. ... 400
Bregmaceros sp. ... 324
Botia gray ... 410
Botia lohachata ... 410
Caranx armatus ... 400
C. kalla ... 400
Caranx melampygus ... 400
Carcharias sp. ... 220
Caridina weberi ... 397
C. catla ... 216,395
Channa punctatus ... 185,230,313,335,344,358,359, 370,371,403.
Channa striatus ... 281
Chanos chanos ... 306,400,
Chirocentrus sp. ... 187
Chirocentrus dorab ... 400
Chorinemus tol ... 400
C. mrigala ... 216,337,371,395
C. batrachus ... 190,304,344
Clarias lazera ... 280
Clupisoma bastari ... 246
Clupisoma garua ... 182
Coilia sp. ... 324

Colisa fasciatus ... 344,405
Colisa lalia ... 371
Ctenopharyngodon idella ... 329
Cybium guttatum ... 238
Cynoglossus bilineatus ... 342
Cynoglossus lida ... 342,400
Cynoglossus linqua ... 400
Cynoglossus macrostomus ... 406
Cynoglossus puncticeps ... 342,400
Cynoglossus punticeps ... 400
Cyprinus carpio ... 213,251,307
Cypselurus comatus ... 400
Dasyatis alcockii ... 254
Dasyatis imbricatus ... 253
Dasyatis sephen ... 254;255
Dasyatis uarnak ... 254
Dayella malabarica ... 325
Dicerobatis eregoodoo ... 323
Ehirava fluviatilis ... 325
Elops saurus ... 306
Esomus danrica ... 313
Etroplus suratensis ... 379,380,381
Gambusia affinis ... 300
Garra gotyla ... 302
Garra lamta ... 312
Gerres sp. ... 306
Glyptothorax pectinopterum ... 201,302
Gobius optomus ... 330
Gorgasia preclara ... 221
Harpodon nehereus ... 187,207,324
Hemiramphus spp. ... 400
Heteroconger cobra ... 221
Heteroconger lentiginosus ... 221
Heteroconger perissodon ... 221
Heteronarce garmani ... 385
*Heteronarce mollis ... 385
H. fossilis ... 190,213;230,265,278,280,281,
301,313,344,345,349,352,371,391.
Hilsa ilisha ... 238,400
Himantura bleekeri ... 255
Himantura uarnak ... 255
Hirundichthys coromandelensis .. 400
Hypophthalmichthys molitrix ... 308
*Hetero narce prabhui ... 305

Hyporhamphus limbatus ... 248
Istiophorus gladius ... 203
Johnieops osseus ... 208,209
Katsuwonus pelamis ... 197
Kowala coval ... 400
Kyphosus cinerascens ... 283
Labeo spp. ... 302
L. bata ... 371
L. calbasu ... 216,371
Labeo dero ... 232
Labeo devdevi ... 296
Labeo gonius ... 229,303
L. rohita ... 216,230,251,279,313,371,395
L. calcarifer ... 216
Lebistes reticulatus ... 251
Liosaccus cutaneus ... 384
Liza macrolepis ... 400
Macrobrachium lamarrei ... 343
Makaira indica ... 203
Makaira nigricans ... 203
Mastacembelus armatus ... 232
Mastocembelus pancalus ... 313
Megalaspis cordyla ... 366
Megaleps cyprinoides ... 216, 306
M. affinis ... 388
M. brevicornis ... 223,333
Metapenaeus bukenroadi ... 388
Metapenaeus dobsoni ... 327,328,377,388
Metapenaeus hardwickii ... 319
Metapenaeus kutchensis ... 333
M. monoceros ... 223,328,376,377
Monacanthus monoceros ... 290
Mugil sp. ... 306,330
Mugil cephalus ... 400
Mugil cunnesius ... 400
M. parsia ... 400
M. tade ... 400
Mugil vaigiensis ... 400
Muraenesox talabonoides ... 270
Mystus cavasius ... 312
Mystus seenghala ... 356
Mystus tengara ... 465
Mystus vittatus ... 313,344,371,404
Nandus nandus ... 313

Nematolasa nasus ... 400
Nemipterus japonicus ... 243
Noemacheilus spp. ... 302
Notopterus notopterus ... 277,405
Ophicephalus punctatus ... 268,269
Oreinus plagiostomus ... 302
Osphronemus gourami ... 216
Osteobrama cotio ... 369
Otolithus argenteus ... 407
Oxuderces dentatus ... 228
Palaemon sp. ... 324
Palaemon styliferus ... 223
Pampus argenteus ... 400
Pampus chinensis ... 400
Parapenaeopsis cornuta ... 388
Parapenaeopsis hardwickii 320
Parastromateus niger ... 400
Penaeus canaliculatus ... 388
P. indicus ... 223,327,328,330
* Penaeus merguiensis ... 388
Penaeus semisulcatus ... 389
Periophthalmus koelreuteri 259
Ptotosus spp. ... 400
* * Psettodes erumei ... 256,400
Pseudorhombus javanicus 400
Pseudosciaena diacanthus .. 390
Puntius conchonius ... 275,322,371
Puntius nigrofasciatus ... 237
Puntius soberi ... 247
Puntius sarana ... 297
Puntius sophore ... 313,371
P. ticto ... 371
Rana hexadactyla ... 191
Rana tigrina ... 184
Rastrelliger kanagurta ... 400
Rhinobatos granulatus ... 255
R. corsula ... 374,375
Rhynobatus djiddensis ... 255
Saccobranchus fossilis ... 403
Samaris cristatus ... 400
Sardinella albella ... 400
* P. monodon ... 188,223
** Pseudecheneis sulcatus ... 357

Sardinella fimbriata	...	400
Sardinella longiceps	...	192,263
Sarotherodon mossambicus	...	314,379
Sanrida sp.	...	187
Seetophagus argus	...	330
Schizothorax plagiostomus	...	232
Scomberomorus commersoni	...	400
* Scomberomorus guttatus	...	400
Sillago sihama	...	264,306,317
Sphyrna sp.	...	187
Sphyrna blochii	...	196
Sternarchus albifrons	...	368
Stigmatogobius hoevenii	...	227
Stolephorus commersoni	...	400
Stolephorus indicus	...	400
Stolephorus tri	...	400
Syngnathus carce	...	330
Tachysurus jella	...	400
Tachysurus tenuispinis	...	244,245 ,316
Tachysurus thalassinus	...	316
Tetrodon hispidus	...	284
Tetradon leopardus	...	330
Therapon jarbua	...	330
Thryssa malabaricus	...	400
Thryssa mystax	...	400
T. mossambica	...	204,213,214 ,216
Tilapia nilotica	...	280
Torpedo fairchildi	...	386
Torpedo fuscomaculata	...	515
Torpedo macneilli	...	386
Torpedo sinus-persici	...	386
Tor khudree	...	318
Tor tor	...	216
Tor putitora	...	302,382
Trachinotus blochii	...	400
Trichiurus sp.	...	200
Trichogaster [illegible]us	...	313,393
[illegible]	...	348
W. attu	...	400
* Scomberomorus lineolatus	...	

V. SERIAL INDEX

(Serials are abreviated according to FAO's World List of Periodicals for Aquatic Sciences and Fisheries and Insdoc's Directory of Indian Scientific Periodicals. Reference is given to the serial number of the entry).

Aquaculture, 1981, 26(1&2)	...	356
Aquaculture Hungarica, 1980, 2	...	360
Bamidgeh, 1981, 33(2)	...	273
Bull. Dept. Mar. Sci. Univ. Cochin, 1980, 11(1)	...	325,327,328,408.
Bull. Mar. Sci., 1981, 31(2)	...	221
Bull. Zool. Surv. India, 1980, 2(2-3)	...	227,246,283,296.
1981, 3(1&2)	...	383,384
1981, 3(3)	...	228,242,247,284,432, 492,514,515,530.
CIFE Bull. No. 80	...	334
CMFRI Bull. Nos. 1981, 30A	...	241
1981, 30B	...	240
Cur. Sci. 1981, 50(12)	...	277
50(13)	...	425
50(14)	...	265
50(16)	...	297,335.
50(19)	...	278
50(20)	...	225,232,522.
50(21)	...	314
50(22)	...	385
Fish Technol., 1980, 17(2)	...	200,226,236,239,291, 396,407.
Fourth Workshop - All India Co-Ordinated Research Project on Brackishwater Fish Farming 24-25, Oct., 1981 at Kakinada.	...	211
Indian J. Anim. Sci., 1981, 51(10)	...	201
1981, 51(6)	...	206

Indian J. Biochem. Biophys., 1981, 18(2) ... 280,281.

Indian J. Environ.Hlth., 1981, 23(1) ... 299

1981, 23(3) ... 404

1981, 23(4) ... 202,282,405.

Indian J. e p. Biol., 1980, 18(4) ... 251,300

18(7) ... 268,343,397.

18(8) ... 336

18(9) ... 346,358.

18(12) ... 269

19(1) ... 304

19(2) ... 231,322

19(5) ... 190,341,352.

19(6) ... 275

19(8) ... 359

19(10) ... 204,362.

19(11) ... 351

Indian J. Fish., 1977, 24(1-2) ... 186,187,195,197,243, 244,256,257,259,263, 264,279,288,306,313, 315,324,344,382,388, 389,392,411.

1978, 25(1-2) ... 192,196,203,213,220, 233,234,235,245,253, 254,255,270,276,285, 286,287,302,316,317, 321,323,326,373,342, 390,391,406.

Indian J. mar. Sci., 1980, 9(1) ... 208,209,238,378,409.

9(2) ... 319,376,387.

9(4) ... 217,260,330.

1981, 10(1) ... 332,340,361,399.

10(2) ... 194,381.

10(4) ... 198,252,267,294,310, 320,364,365,367,377, 379,398,402.

J. Bombay. Nat. Hist. Soc.,	1980,77(1)	...	222,316,396,410.
	1980,77(2)	...	205,308,
	1980,77(3)	...	229,237.
	1981,78(1)	...	329
	1981,78(2)	...	350
J. Fish Biol.,	1981,18(4)	...	185
J. Indian Bot. Soc.,	1980,59(3)	...	371
J. Indian Fish Asso.,	1974,3&4(1-2)	...	181,188,189,218, 238,289,298,309, 339,351.
	1975,5(1-2)	...	207,216,258,271, 305,400.
	1975,6(1-2)	...	250
J. Indian Soc. Agri. Stat.,	1981,33(1)	...	353,372.
J. Indian Soc. Soil Sci.,	1980,28(2)	...	354
J. Scient. Ind. Res.,	1981,40(5)	...	331
	1981,40(6)	...	373
J. Zool. Soc. India,	1977,29(1-2)	...	183,307,347.
Proc. Indian Acad. Sci. (Anim. Sci.)			
	1979,88,pt.1(3)	...	230,345,348,395.
	1979,88,pt.1(5)	...	369,374.
	1980,89(1)	...	295,403
	1980,89(2)	...	184,349.
	1980,89(3)	...	290
	1980,89(5)	...	303,337,394.
	1980,89(6)	...	312
	1981,90(3)	...	191,301,375,.
	1981,90(4)	...	215,292.
Proc. Indian Natn. Sci. Acad. (B),			
	1981,47(2)	...	357
	1981,47(4)	...	293

Proc. Nat. Acad. Sci. India,	1980,50 B (1)	... 370
	1980,50B(3)	... 368
	1980,50B(4)	... 182,214,248, 355.
	1980,21	
Report, Final, 1971-1981, All India Co-Ordinated Research Project on Ecology and Fisheries of Freshwater Reservoirs.		... 210
Report, Technical, February 1976-February 1979, School of Environmental Sciences, Jawahar Lal Nehru University, New Delhi.		... 193
Sankhya,	1981,43A(pt.1)	... 311
	1981,43A(pt.2)	... 272
	1981,43B(pt.1)	... 219,274
Seafd. Export J.,	1981,13(5)	... 223,249
	1981,13(6)	... 224
	1981,13(7)	... 180,199,262.
	1981,13(8)	... 261
	1981,13(9)	... 266
Seminar on Fishery (Inland) as an Economic Programme for IRD (28-30th September, 1981)		... 212